

1/24/2014

Reviewed on 11/24/2014


1 Identification

- · Product identifier
- · Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer
- · Article number: 334
- · Application of the substance / the mixture Enzyme Carpet Cleaner
- · Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier: ITW Pro Brands 805 East Old 56 Highway Olathe, Kansas 66061 Phone: 1-800-224-4860
- Emergency telephone number: Infotrac Emergency Hotline: 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture

GHS 04 gas cylinder



GHS02 Flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

GHS08 Health hazard

Resp. Sens. 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Repr. 2	H361	Suspected of damaging fertility or the unborn child.

- · Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02 GHS04 GHS08

- · Signal word Danger
- Hazard-determining components of labeling: Papain
 Hazard statements

H280 Contains gas under pressure; may explode if heated.

H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Contd. on page 2)

Printing date 11/24/2014 Reviewed on 11/24/2014 Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer (Contd. of page 1) H361 Suspected of damaging fertility or the unborn child. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 P251 Pressurized container: Do not pierce or burn, even after use. P211 Do not spray on an open flame or other ignition source. Avoid breathing mist/vapours/spray. P261 Use personal protective equipment as required. P281 P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor. P405 Store locked up. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · Additional information: Pressurized container: May burst if heated. Contains Papain. May produce an allergic reaction. · Hazard description: · WHMIS-symbols: A - Compressed gas B5 - Flammable aerosol D2A - Very toxic material causing other toxic effects · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0 · HMIS-ratings (scale 0 - 4) *1 Health = *1 HEALTH FIRE 3 Fire = 3 REACTIVITY 0 Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. · Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **3 Composition/information on ingredients**

- Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer

D		(Contd. of page
-	components:	
75-28-5	Isobutane	2.5-10%
	🚸 Flam. Gas 1, H220	
64742-89-8	Solvent naphtha (petroleum), light aliph.	2.5-10%
	🚸 Asp. Tox. 1, H304	
112-34-5	2-(2-butoxyethoxy)ethanol	≤ 2.5%
	♦ Eye Irrit. 2, H319	
74-98-6	propane	≤ 2.5%
	🚸 Flam. Gas 1, H220	
	Press. Gas, H280	
67-63-0	propan-2-ol	≤ 2.5%
	♦ Flam. Liq. 2, H225	
	♦ Eye Irrit. 2, H319; STOT SE 3, H336	
68439-57-6	Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	≤ 2.5%
	Eye Dam. 1, H318	
	Skin Irrit. 2, H315	
97-99-4	tetrahydro-2-furylmethanol	< 1%
	& Repr. 2, H361 Eye Irrit. 2, H319	
	Flam. Lig. 4, H227	
9001-73-4		< 1%
0001704	& Resp. Sens. 1, H334	< 170
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
Dangerous	Components (Alternative Classifications):	
72-28-5	Isobutane	2.5-109
	🚸 Flam. Gas 1, H220	
64742-89-8	Solvent naphtha (petroleum), light aliph.	2.5-109
	♦ Asp. Tox. 1, H304	
112-34-5	2-(2-butoxyethoxy)ethanol	≤ 2.5%
	♦ Eye Irrit. 2, H319	
74-98-6	propane	≤ 2.5%
	Flam. Gas 1, H220	
	Press. Gas, H280	
67-63-0	propan-2-ol	≤ 2.5%
•	🚯 Flam. Liq. 2, H225	
	Eye Irrit. 2, H319; STOT SE 3, H336	

4 First-aid measures

· Description of first aid measures

· General information: Take affected persons out into the fresh air.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

(Contd. on page 4)

Printing date 11/24/2014 Reviewed on 11/24/2014 Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer (Contd. of page 3) · After skin contact: Immediately wash with water and soap and rinse thoroughly. In cases of frostbite, rinse with plenty of water. Do not remove clothing. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed Asthma attacks Headache **Breathing difficulty** Dizziness Coughing Frostbite Nausea Disorientation · Danger Suspected of damaging fertility or the unborn child. Danger of impaired breathing. · Indication of any immediate medical attention and special treatment needed Treat frost-bitten areas appropriately. Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants. Treat skin and mucous membrane with antihistamine and corticoid preparations. Contains Papain. May produce an allergic reaction. If necessary oxygen respiration treatment. 5 Fire-fighting measures · Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray. · For safety reasons unsuitable extinguishing agents: None. · Special hazards arising from the substance or mixture Danger of receptacles bursting because of high vapor pressure if heated. Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

- Additional information
- Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

If aerosols are bursting, stay clear until safe. Aerosol containers can be projectiles when bursting.

(Contd. on page 5)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer

(Contd. of page 4)

Cool endangered receptacles with water fog.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
If containers are leaking, use respiratory protective device against the effects of fumes/dust/aerosol.
Ensure adequate ventilation.
Keep away from ignition sources.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Allow to evaporate.
Absorb liquid components with liquid-binding material.
Ensure adequate ventilation.
Dispose contaminated material as waste according to item 13.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling Keep away from heat and direct sunlight. Use only in well ventilated areas. Pressurized container: Do not pierce or burn, even after use. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Fumes can combine with air to form an explosive mixture. Flammable gas-air mixtures may be formed in empty receptacles. Do not spray on a naked flame or any incandescent material. · Conditions for safe storage, including any incompatibilities Storage: · Requirements to be met by storerooms and receptacles: Observe official regulations on storing packagings with pressurized containers. Provide ventilation for receptacles. Avoid storage near extreme heat, ignition sources or open flame. Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents. · Further information about storage conditions: Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
 - · Specific end use(s) No further relevant information available.

(Contd. on page 6)

.....

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer

(Contd. of page 5)

8 Exposure co	ntrols/personal protection	
· Additional infor	rmation about design of technical systems: No further data; see item 7	
· Control parame	eters	
•	ith limit values that require monitoring at the workplace:	
•	utoxyethoxy)ethanol	
TLV (USA)	Long-term value: 67.5* mg/m ³ , 10* ppm	
()	*Inhalable fraction and vapor	
74-98-6 propan	e	
PEL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm	
REL (USA)	Long-term value: 1800 mg/m ³ , 1000 ppm	
TLV (USA)	refer to Appendix F	
EL (Canada)	Long-term value: 1000 ppm	
EV (Canada)	Long-term value: 1.000 ppm	
LMPE (Mexico)	Long-term value: 1000 ppm	
67-63-0 propan	-2-ol	
PEL (USA)	Long-term value: 980 mg/m ³ , 400 ppm	
REL (USA)	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm	
TLV (USA)	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI	
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm	
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm	
LMPE (Mexico)	Short-term value: 400 ppm Long-term value: 200 ppm A4, IBE	
97-99-4 tetrahy	dro-2-furylmethanol	
WEEL (USA)	Long-term value: 0.5 ppm	
· Ingredients wit	h biological limit values:	
67-63-0 propan	-2-ol	
Time	ng/L ium: urine e: end of shift at end of workweek ameter: Acetone (background, nonspecific)	
· Additional info	rmation: The lists that were valid during the creation were used as basis.	
 Exposure contr Personal protection General protection 	-	
	foodstuffs, beverages and feed.	(Contd. on page

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer

(Contd. of page 6)

Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eves and skin.

· Breathing equipment:

Not required under normal conditions of use. For spills, respiratory protection may be advisable. Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Odor threshold:

· Flash point:

Appearance:
 Form:
 Color:
 Odor:

· pH-value at 20 °C (68 °F):

Melting point/Melting range:

Boiling point/Boiling range:

· Change in condition

Aerosol White Pleasant Not determined. 8.8 Not applicable, as aerosol. 95 °C (203 °F)

26 °C (79 °F)

(Contd. on page 8)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer

	(Contd. of page 7)
 Flammability (solid, gaseous): 	Not applicable.
Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure at 21 °C (70 °F):	50 - 70 psig
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	0.992 g/cm ³ (8.278 lbs/gal) Not determined. > 1 (Air=1) Not applicable.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: VOC content: Other information 	14.86 % No further relevant information available.

10 Stability and reactivity

· Reactivity	
· Chemical stability	
 Thermal decomposition / conditions to be avoided: 	
No decomposition if used and stored according to specifications.	
Danger of receptacles bursting because of high vapor pressure if heated.	
Pressurized container: Do not pierce or burn, even after use.	
Possibility of hazardous reactions	
Can form explosive mixtures in air if heated above flash point and/or when sprayed or ator	mized.
Reacts with oxidizing agents.	
Extremely flammable aerosol.	
Conditions to avoid	
Keep away from heat and direct sunlight.	
Excessive heat and contact with oxidizers.	
Keep ignition sources away - Do not smoke.	
 Incompatible materials: No further relevant information available. 	
	(Contd. on page 9)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer

(Contd. of page 8)

 Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrocarbons Sulfur oxides (SOx)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Slight irritant effect on eyes.
- Sensitization: Sensitizing effect by skin contact is possible with prolonged exposure.
- Other information (about experimental toxicology): Ingestion is considered unlikely. Vapors have narcotic effect.
- Additional toxicological information: Toxic and/or corrosive effects may be delayed up to 24 hours. Suspected of causing cancer. Suspected of damaging fertility or the unborn child.
- · Carcinogenic categories

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Repeated Dose Toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Avoid transfer into the environment.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 10)

Printing date 11/24/2014

Г

Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer

(Contd. of page 9)

13 Disposal considerations	
 Waste treatment methods Recommendation: 	with household garbage. Do not allow product to reach sewage system.
Can be burned with household g pertinent authorities and adhering The user of this material has the compliance with all relevant local	parbage after consulting with the waste disposal facility operator and the to the necessary technical regulations. The responsibility to dispose of unused material, residues and containers solves and federal laws and regulations regarding treatment, storage and azardous wastes. Residual materials should be treated as hazardous.
Uncleaned packagings: Recommendation: Disposal must	st be made according to official regulations.
4 Transport information	
 · UN-Number · DOT, ADR, IMDG, IATA · UN proper shipping name 	UN1950
Limited Quantity for pac gal).	ckages less than 30 kg (66 lb) and inner packagings less than 1 L (0 $$
· DOT · ADR · IMDG	Aerosols, flammable 1950 AEROSOLS, flammable AEROSOLS
 IATA Transport hazard class(es) 	AEROSOLS, flammable
· DOT	
· Class · Label	2.1 2.1
· ADR	
· Class	2 5F Gases (Contd. on page 7

Printing date 11/24/2014

Reviewed on 11/24/2014

ade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer		
· Label	2.1	(Contd. of page 10
·IMDG		
		
· Class	2 Gases	
· Label	2.1	
·IATA		
*		
· Class	2.1	
	2.1	
· Packing group	Not Dogulated	
· DOT, ADR, IMDG, IATA · Environmental hazards:	Not Regulated	
· Marine pollutant:	No	
· Special precautions for user	Warning: Gases	
· Danger code (Kemler):	-	
EMS Number:	F-D,S-U	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	k II of Not applicable.	
Transport/Additional information:		
· DOT		
· Quantity limitations	On passenger aircraft/rail: 75kg	
	On cargo aircraft only: 150kg	
ADR		
 Excepted quantities (EQ) 	Code: E0	
	Not permitted as Excepted Quantity	
·IMDG		
· Limited quantities (LQ)	1000mL	
 Excepted quantities (EQ) 	Code: E0	
UN "Model Regulation":	Not permitted as Excepted Quantity UN1950, Aerosols, 2.1	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot SARA

- · Section 355 (extremely hazardous substances):
 - None of the ingredients is listed.

(Contd. on page 12)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer

		(Contd. of page
	13 (Specific toxic chemical listings):	
	propan-2-ol	
-	oxic Substances Control Act):	
•	ents are listed.	
-	on 65 (California)	
	Is known to cause cancer:	
68603-42	-9 Coconut diethanolamide	
	Is known to cause reproductive toxicity for females:	
None of the	ne ingredients are listed.	
· Chemica	Is known to cause reproductive toxicity for males:	
None of the	ne ingredients is listed.	
· Chemica	Is known to cause developmental toxicity:	
None of the	ne ingredients is listed.	
-	enic categories	
•	rironmental Protection Agency)	
None of the	ne ingredients is listed.	
· IARC (Int	ernational Agency for Research on Cancer)	
	-0 propan-2-ol	3
68603-42	-9 Coconut diethanolamide	2
· TLV (Thr	eshold Limit Value established by ACGIH)	
67-63-0 p	propan-2-ol	1
· NIOSH-C	a (National Institute for Occupational Safety and Health)	N
None of the	ne ingredients is listed.	
· State Rig	ht to Know Listings	
None of the	ne ingredients is listed.	
· Canadiar	n substance listings:	
· Canadiar	Domestic Substances List (DSL)	
All ingred	ents are listed.	
· Canadiar	Ingredient Disclosure list (limit 0.1%)	
None of the	ne ingredients is listed.	
Canadiar	n Ingredient Disclosure list (limit 1%)	
112-34-5	2-(2-butoxyethoxy)ethanol	
67-63-0	propan-2-ol	
This prod and the S	julations, limitations and prohibitive regulations uct has been classified in accordance with hazard criteria of the Controlled Prod DS contains all the information required by the Controlled Products Regulations. I safety assessment: A Chemical Safety Assessment has not been carried out.	, C

(Contd. on page 13)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Liquid Alive® Enzyme Digestant, Stain Remover & Deodorizer

(Contd. of page 12)

	information is based on our present knowledge. However, this shall not constitute a guarantee for an
speci	fic product features and shall not establish a legally valid contractual relationship.
Date	of preparation / last revision 11/24/2014 / -
	eviations and acronyms:
	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning th
	ational Carriage of Dangerous Goods by Road)
	International Maritime Code for Dangerous Goods US Department of Transportation
	International Air Transport Association
	I: American Conference of Governmental Industrial Hygienists
	S: European Inventory of Existing Commercial Chemical Substances
	S: European List of Notified Chemical Substances
CAS: 0	Chemical Abstracts Service (division of the American Chemical Society)
	National Fire Protection Association (USA)
	Hazardous Materials Identification System (USA)
	S: Workplace Hazardous Materials Information System (Canada)
	Volatile Organic Compounds (USA, EU)
	Gas 1: Flammable gases, Hazard Category 1 Aerosol 1: Flammable aerosols, Hazard Category 1
	Gas: Gases under pressure: Compressed gas
	Liq. 2: Flammable liquids, Hazard Category 2
	Liq. 4: Flammable liquids, Hazard Category 4
	rit. 2: Skin corrosion/irritation, Hazard Category 2
	am. 1: Serious eye damage/eye irritation, Hazard Category 1
	it. 2: Serious eye damage/eye irritation, Hazard Category 2
	it. 2A: Serious eye damage/eye irritation, Hazard Category 2A
	Sens. 1: Sensitisation - Respirat., Hazard Category 1
	2: Reproductive toxicity, Hazard Category 2 SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
	oz. 1: Aspiration hazard, Hazard Category 1
· Sour	
	Prepared by:
	n Tel Inc.
	North Florida Avenue
	ba, Florida USA 33602-2902
	ree North America 1-888-255-3924 Intl. +01 813-248-0573
Webs	site: www.chemtelinc.com