

Printing date 11/24/2014

Reviewed on 11/24/2014

### **1** Identification

- · Product identifier
- · Trade name: Dry Breeze Sugar & Spice
- Article number: 702
- · Application of the substance / the mixture Dry Air Freshener
- · Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier: **ITW Pro Brands** 805 East Old 56 Highway Olathe, Kansas 66061 Phone: 1-800-224-4860
- Emergency telephone number: Infotrac Emergency Hotline: 1-800-535-5053

# 2 Hazard(s) identification

# · Classification of the substance or mixture

GHS 04 gas cylinder

H280 Contains gas under pressure; may explode if heated.

GHS02 Flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.



Eye Irrit. 2A	H319	Causes serious eye irritation.
STOT SE 3	H336	May cause drowsiness or dizziness.

· Label elements · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling: acetone · Hazard statements H280 Contains gas under pressure; may explode if heated. H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.
- H319 Causes serious eye irritation.

(Contd. on page 2)

Printing date 11/24/2014

Reviewed on 11/24/2014

# Trade name: Dry Breeze Sugar & Spice

(Contd. of page 1)

	(Contd. of page 1)
	ay cause drowsiness or dizziness.
<ul> <li>Precautionary</li> </ul>	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P251	Pressurized container: Do not pierce or burn, even after use.
P211	Do not spray on an open flame or other ignition source.
P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves / eye protection.
	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P410+P412 P501	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Dispose of contents/container in accordance with local/regional/national/international regulations.
	ormation: Pressurized container: May burst if heated.
<ul> <li>Hazard descri</li> </ul>	
· WHMIS-symb	
A - Compresse	
B5 - Flammab	
D2B - Toxic ma	aterial causing other toxic effects
• Classification • NFPA ratings	
Fire	alth = 1 a = 4 activity = 0
· HMIS-ratings	(scale 0 - 4)
	ealth = 1 re = 4 eactivity = 0
<ul> <li>Other hazards</li> <li>Results of PB</li> </ul>	s T and vPvB assessment
• <b>PBT:</b> Not appli	icable.
• vPvB: Not app	
3 Compositio	on/information on ingredients
	racterization: Mixtures Mixture of the substances listed below with nonhazardous additions.

# Dangerous components:

67-64-1	<ul> <li>Flam. Liq. 2, H225</li> <li>Eye Irrit. 2A, H319; STOT SE 3, H336</li> </ul>	40-60%
	(Contd	. on page 3)

Printing date 11/24/2014

Reviewed on 11/24/2014

### Trade name: Dry Breeze Sugar & Spice

75 00 5	lachutana		d. of page 2)
75-28-5	Isobutane	🚸 Flam. Gas 1, H220	20-40%
74-98-6	propane	Flam. Gas 1, H220 Press. Gas, H280	5-10%

# **4** First-aid measures Description of first aid measures · General information: Take affected persons out into the fresh air. · After inhalation: Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. · After skin contact: Immediately wash with water and soap and rinse thoroughly. In cases of frostbite, rinse with plenty of water. Do not remove clothing. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Unlikely route of exposure. Do not induce vomiting; immediately call for medical help. · Most important symptoms and effects, both acute and delayed Headache Breathing difficulty Dizziness Coughing Frostbite Nausea Irritant to eves. Disorientation · Danger No further relevant information available. Indication of any immediate medical attention and special treatment needed If swallowed, gastric irrigation with added, activated carbon. Treat frost-bitten areas appropriately. 5 Fire-fighting measures

### · Extinguishing media

- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray.
- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture Danger of receptacles bursting because of high vapor pressure if heated. Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
  Protective equipment:
- Wear self-contained respiratory protective device.

(Contd. on page 4)

Printing date 11/24/2014

Reviewed on 11/24/2014

### Trade name: Dry Breeze Sugar & Spice

(Contd. of page 3)

Wear fully protective suit.

Additional information

Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Cool endangered receptacles with water fog.

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Use respiratory protective device against the effects of fumes/dust/aerosol.
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation.
 Keep away from ignition sources.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Allow to evaporate.
 Absorb liquid components with liquid-binding material.
 Pick up mechanically.
 Ensure adequate ventilation.
 Dispose contaminated material as waste according to item 13.
 Reference to other sections
 See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

<ul> <li>Precautions for safe handling Keep away from heat and direct sunlight. Use only in well ventilated areas. Pressurized container: Do not pierce or burn, even after use.</li> <li>Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Fumes can combine with air to form an explosive mixture. Flammable gas-air mixtures may be formed in empty receptacles. Do not spray on a naked flame or any incandescent material.</li> </ul>	
<ul> <li>Conditions for safe storage, including any incompatibilities</li> <li>Storage:</li> <li>Requirements to be met by storerooms and receptacles: Observe official regulations on storing packagings with pressurized containers. Provide ventilation for receptacles. Avoid storage near extreme heat, ignition sources or open flame.</li> <li>Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents.</li> <li>Further information about storage conditions: Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.</li> </ul>	(Contd. on page 5)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice

(Contd. of page 4)

• Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

	Additional info	rmation about design of technical systems: No further data; see item 7	
•	Control parame	eters	
	Components w	rith limit values that require monitoring at the workplace:	
	67-64-1 aceton	e	
	PEL (USA)	Long-term value: 2400 mg/m <sup>3</sup> , 1000 ppm	
	REL (USA)	Long-term value: 590 mg/m <sup>3</sup> , 250 ppm	
	TLV (USA)	Short-term value: (1782) NIC-1187 mg/m³, (750) NIC-500 ppm Long-term value: (1188) NIC-594 mg/m³, (500) NIC-250 ppm BEI	
	EL (Canada)	Short-term value: 500 ppm Long-term value: 250 ppm	
	EV (Canada)	Short-term value: 750 ppm Long-term value: 500 ppm	
	LMPE (Mexico)	Short-term value: 750 ppm Long-term value: 500 ppm A4, IBE	
	74-98-6 propan	e	
	PEL (USA)	Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm	
	REL (USA)	Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm	
	TLV (USA)	refer to Appendix F	
	EL (Canada)	Long-term value: 1000 ppm	
	EV (Canada)	Long-term value: 1.000 ppm	
	LMPE (Mexico)	Long-term value: 1000 ppm	
	Ingredients wit	h biological limit values:	
	67-64-1 aceton		
	Time Para	lium: urine e: end of shift ameter: Acetone (nonspecific)	
		<b>rmation:</b> The lists that were valid during the creation were used as basis.	
	General protec The usual preca Keep away from Wash hands be Do not inhale ga	ctive equipment: tive and hygienic measures: autionary measures for handling chemicals should be followed. foodstuffs, beverages and feed. fore breaks and at the end of work. ases / fumes / aerosols.	
	Avoid contact w	ith the eyes and skin.	(Contd. on page 6)

Printing date 11/24/2014

Reviewed on 11/24/2014

### Trade name: Dry Breeze Sugar & Spice

(Contd. of page 5)

• Breathing equipment: Not required under normal conditions of use. For spills, respiratory protection may be advisable. Use suitable respiratory protective device in case of insufficient ventilation.

### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information

· Appearance:		
Form:	Aerosol	
Color:	Clear to straw color.	
· Odor:	Pleasant	
<ul> <li>Odor threshold:</li> </ul>	Not determined.	
· pH-value:	Not determined.	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. 56 °C (133 °F) (liquid component)	
· Flash point:	< -17 °C (< 1 °F)	
· Flammability (solid, gaseous):	Extremely flammable aerosol.	
· Auto-ignition temperature:	Not determined.	(Co

(Contd. on page 7)

Printing date 11/24/2014

Reviewed on 11/24/2014

# Trade name: Dry Breeze Sugar & Spice

		(Contd. of page 6)
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
· Danger of explosion:	Not determined.	
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.	
· Vapor pressure at 21 °C (70 °F):	95 psig	
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	0.79 g/cm <sup>3</sup> (6.593 lbs/gal) Not determined. > 1 (Air=1) Not applicable.	
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Fully miscible.	
· Partition coefficient (n-octanol/water	: Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
<ul> <li>Solvent content:</li> <li>VOC content:</li> <li>Other information</li> </ul>	29.93 % No further relevant information available.	

# 10 Stability and reactivity

· Reactivity · Chemical stability
<ul> <li>Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.</li> </ul>
Danger of receptacles bursting because of high vapor pressure if heated.
· Possibility of hazardous reactions
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Reacts violently with oxidizing agents.
Extremely flammable aerosol.
Danger of receptacles bursting because of high vapor pressure if heated.
Conditions to avoid
Keep away from heat and direct sunlight.
Excessive heat and contact with oxidizers.
Keep ignition sources away - Do not smoke.
Incompatible materials: No further relevant information available.
· Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Hydrocarbons

(Contd. on page 8)

Printing date 11/24/2014

#### Reviewed on 11/24/2014

#### Trade name: Dry Breeze Sugar & Spice

(Contd. of page 7)

# 11 Toxicological information

· Information on toxicological effects

#### · Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### 67-64-1 acetone

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

### · Primary irritant effect:

- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot$  Other information (about experimental toxicology):

Ingestion is considered unlikely. Vapors have narcotic effect.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Inhalation of concentrated vapors as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

#### · Carcinogenic categories

### · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• Repeated Dose Toxicity: Repeated exposure may cause skin dryness or cracking.

# **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Avoid transfer into the environment.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- $\cdot$  Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 9)

Printing date 11/24/2014
Trade name: Dry Breeze Sugar & Spice

Reviewed on 11/24/2014

(Contd. of page 8)

• Other adverse effects No further relevant information available.

# **13 Disposal considerations**

### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous. • Waste disposal key: EPA RCRA Code (USA) : D001.

#### · Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information	
<ul> <li>· UN-Number</li> <li>· DOT, ADR, IMDG, IATA</li> <li>· UN proper shipping name</li> </ul>	UN1950
Limited Quantity for packages les gal).	ss than 30 kg (66 lb) and inner packagings less than 1 L (0.3 $$
<ul> <li>DOT</li> <li>ADR</li> <li>IMDG</li> <li>IATA</li> <li>Transport hazard class(es)</li> </ul>	Aerosols, flammable 1950 AEROSOLS, flammable AEROSOLS AEROSOLS, flammable
· DOT	
· Class · Label	2.1 2.1
· ADR	
· Class	2 5F Gases (Contd. on page 10)

Printing date 11/24/2014

Reviewed on 11/24/2014

Trade name: Dry Breeze Sugar & Spice		
· Label	2.1	(Contd. of page S
·IMDG		
<b></b>		
· Class	2 Gases	
· Label	2.1	
·IATA		
<b>*</b>		
· Class	2.1	
· Label	2.1	
<ul> <li>Packing group</li> </ul>		
DOT, ADR, IMDG, IATA	Not Regulated	
Environmental hazards:	N-	
Marine pollutant:     Special processions for upor	No Warning Cases	
<ul> <li>Special precautions for user</li> <li>Danger code (Kemler):</li> </ul>	Warning: Gases	
· EMS Number:	- F-D,S-U	
Transport in bulk according to Annex	•	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
·DOT		
<ul> <li>Quantity limitations</li> </ul>	On passenger aircraft/rail: 75kg	
	On cargo aircraft only: 150kg	
· ADR		
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E0	
	Not permitted as Excepted Quantity	
·IMDG		
<ul> <li>Limited quantities (LQ)</li> </ul>	1000mL	
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E0	
	Not permitted as Excepted Quantity	
<ul> <li>UN "Model Regulation":</li> </ul>	UN1950, Aerosols, 2.1	

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  SARA

- · Section 355 (extremely hazardous substances):
  - None of the ingredients is listed.

(Contd. on page 11)

Printing date 11/24/2014

Reviewed on 11/24/2014

	(Contd. of page
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
67-64-1 acetone	
IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
67-64-1 acetone	1
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· State Right to Know Listings	
Some ingredients listed.	
· Canadian substance listings:	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
67-64-1 acetone	-

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 11/24/2014

Reviewed on 11/24/2014

### Trade name: Dry Breeze Sugar & Spice

(Contd. of page 11)

· Date of preparation / last revision 11/24/2014 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Gas 1: Flammable gases, Hazard Category 1 Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Press. Gas: Gases under pressure: Compressed gas Flam. Liq. 2: Flammable liquids, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com