SAFETY DATA SHEET



Revision Date 05-Jan-2018

Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name WS 5050

Other means of identification

UN-Number UN3082

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Heavy-duty water-soluble oil

Uses advised against No information available

Supplier's details

Initial Supplier ITW Permatex Canada 1-35 Brownridge Road Halton Hills, ON, L7G 0C6

Canada

TEL: 1-800-452-5823

Supplier Address

ITW Fluids North America 3650 West Lake Avenue Glenview, IL 60026 TEL: 1-800-452-5823

Emergency telephone number

Emergency Telephone

Number

CHEMTREC: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Skin Sensitization	Category 1
Flammable liquids	Category 4

Label Elements

Signal Word

Warning



Hazard Statements

May cause an allergic skin reaction Combustible liquid.

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

- · Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

None

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

• Store in a well-ventilated place. Keep cool.

Disposal

None

Other information

Toxic to aquatic life with long lasting effects.

Unknown acute toxicity

12% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	54.41	-	-
Chloroalkanes	61788-76-9	9.02	-	-
Polyethylene glycol monooleyl ether	9004-98-2	5.01	-	-
Tall oil fatty acids diisopropanolamide	-	4.42	-	-
2-(2-Aminoethoxy)ethanol	929-06-6	4.40298	-	-
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine	4719-04-4	1.5075	-	-

D	iisopropanolamine	110-97-4	1-5	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/

attention.

Skin Contact Wash skin with soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Remove and wash contaminated clothing before re-use.

Inhalation If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Hives, Rashes.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician May cause sensitization by skin contact.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the M

Chemical

May burn if exposed to high temperature. Use water spray to cool unopened containers.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

Protective Equipment and

Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information. Avoid release to the environment.

Dispose of contents/container to an approved waste disposal plant. Collect spillage.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and

wash contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and Body Protection Protective gloves.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing. Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash face, hands and any exposed

None known

skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid. Appearance Dark blue.

Odor Characteristic. Odor Threshold No information available.

Property Values Remarks/ - Method

pHat 10%Melting Point/RangeNo data availableNone knownBoiling Point/Boiling Range100 °C / 212 °FNone knownFlash Point> 93 °C / > 200 °FPMCCEvaporation rate> 0.1None known

No data available

Flammability (solid, gas)
Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

Vapor Pressure < 1 None known

Vapor Density Heavier than air None known **Relative Density** No data available None known 0.98 None known **Specific Gravity** None known Water Solubility Emulsifies No data available None known Solubility in other solvents Partition coefficient: n-octanol/waterNo data available None known None known **Autoignition Temperature** No data available No data available **Decomposition Temperature** None known

Viscosity No data available None known

Flammable Properties Not flammable

Explosive Properties No data available Oxidizing Properties No data available

Other information

VOC Content (%)

No data available

VOC (g/l)

92.82 g/l in concentrate

10. STABILITY AND REACTIVITY

Reactivity No data available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

<u>Conditions to avoid</u> High temperatures.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products Carbon oxides, Hydrocarbons, Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product InformationThere is no data available for this productInhalationThere is no data available for this product.Eye ContactThere is no data available for this product.Skin ContactMay cause sensitization by skin contact.IngestionThere is no data available for this product.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 5030 mg/kg; Acute toxicity estimate LD50 Dermal 4518 mg/kg; Acute toxicity estimate

Inhalation No information available

Unknown acute toxicity

Acute Oral Toxicity

Acute Dermal Toxicity

12% of the mixture consists of ingredient(s) of unknown toxicity.

82.68052% of the mixture consists of ingredient(s) of unknown acute oral toxicity

84.18802% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

Acute Inhalation (dust/mist) Toxicity
Acute Inhalation (vapor) Toxicity
Acute Inhalation (vapor) Toxicity
Acute Inhalation (gas) Toxicity
Acute Inhalation (gas) Toxicity

88.591% of the mixture consists of ingredient(s) of unknown acute inhalation (vapor) toxicity

88.591% of the mixture consists of ingredient(s) of unknown acute inhalation (gas) toxicity

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated heavy naphthenic	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Polyethylene glycol monooleyl ether	= 2700 mg/kg (Rat)	-	-
2-(2-Aminoethoxy)ethanol	= 3 g/kg (Rat)	= 1190 μL/kg (Rabbit)	-
Hexahydro-1,3,5-tris(2-hydroxyethyl)-S-triazine	= 763 mg/kg (Rat)	-	-
Diisopropanolamine	= 4765 mg/kg (Rat)	= 8000 mg/kg (Rabbit)	-
Polyethylene-polypropylene glycol	= 5700 mg/kg (Rat) = 16 g/kg (Rat)	-	-
Octamethylcyclotetrasiloxane	> 4800 mg/kg (Rat)	> 2400 mg/kg (Rat) > 4640 mg/kg	= 36 g/m³ (Rat) 4 h

(Rabbit)

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Rash Itching.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization

Germ Cell Mutagenicity
Carcinogenicity

May cause sensitization by skin contact.

No information available

The classification listed below for the petroleum distillates in this product pertains to those that contain more than 3% DMSO extract as measured by IR 346. The petroleum distillates

that contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates in this product do not made that oritoria to be also distillated.

in this product do not meet that criteria to be classified as carcinogens.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates,	A2	Group 1	Known	X
hydrotreated heavy				
naphthenic				
Chloroalkanes		Group 2B		X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available
No information available
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
2-(2-Aminoethoxy)ethanol 929-06-6	EC50 72 h: = 160 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 460 mg/L static (Leuciscus idus)	EC50 = 110 mg/L 17 h	EC50 48 h: = 190 mg/L (Daphnia magna)
Hexahydro-1,3,5-tris(2-hydro xyethyl)-S-triazine 4719-04-4	-	-	EC50 = 28.9 mg/L 15 min	-
Diisopropanolamine 110-97-4	EC50 72 h: = 270 mg/L (Desmodesmus subspicatus)	LC50 96 h: 1000 - 2200 mg/L static (Brachydanio rerio) LC50 96 h: 1000 - 2200 mg/L static (Leuciscus idus)		EC50 48 h: = 277.7 mg/L (Daphnia magna Straus)
Octamethylcyclotetrasiloxan e 556-67-2		LC50 96 h: > 1000 mg/L (Lepomis macrochirus) LC50 96 h: > 500 mg/L (Brachydanio rerio)		EC50 24 h: = 25.2 mg/L (Daphnia magna)

Revision Date 05-Jan-2018 WPS-ITWF-037NA - WS 5050

Persistence and Degradability No information available

Bioaccumulation No information available

Chemical Name Log Pow Diisopropanolamine -0.79

Mobility No information available No information available. **Other Adverse Effects**

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to state and federal

regulations (40 CFR 261). Dispose of in accordance with local regulations.

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT

UN-Number UN3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard Class 9 Ш **Packing Group**

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S., (Chloroalkanes) 9, III, MARINE POLLUTANT

Emergency Response Guide

Number

171

TDG

UN-Number UN3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard Class Packing Group Ш

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Description

N.O.S., (Chloroalkanes) 9, III, MARINE POLLUTANT

MEX

UN-Number UN3082

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard Class 9 **Packing Group** Ш

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S., (Chloroalkanes) 9, III, MARINE POLLUTANT

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Not applicable **Persistent Organic Pollutants** Not applicable **Hazardous Waste** Not applicable The Rotterdam Convention (Prior Not applicable

Informed Consent)

International Convention for the

Prevention of Pollution from Ships

(MARPOL)

Not applicable

International Inventories

Contact supplier for inventory compliance status

TSCA Complies
DSL Complies

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Petroleum distillates,				X	
hydrotreated heavy					
naphthenic					
2-(2-Aminoethoxy)ethanol	X	X			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -	
HMIS	Health Hazard 2*	Flammability 1	Physical Hazard 0	Personal Protection X	

*Indicates a chronic health hazard.

Prepared By
Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501
Issuing Date
12-Dec-2017

Revision Note 12-Dec-2017 Revision Note 05-Jan-2018 New subformat.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not

Revision Date 05-Jan-2018 WPS-ITWF-037NA - WS 5050 to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet