# LPS

# SAFETY DATA SHEET

#### 1. Identification

Product identifier LPS® Tapmatic® #1 Gold

Other means of identification

Part Number 40320, 40330, 40340

Recommended use A metal-cutting fluid designed for machining a variety of metals from steel to aluminium in lower

speed applications such as hand-tapping.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Manufacturer

Company name ITW Pro Brands

**Address** 4647 Hugh Howell Rd.

Tucker, GA 30084

Country (U.S.A.)

Tel: +1 770-243-8800

In Case of Emergency 1-800-424-9300 (inside U.S.)

+001 703-527-3887 (outside U.S.)

Website www.lpslabs.com

E-mail lpssds@itwprobrands.com

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Aspiration hazard

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** May be fatal if swallowed and enters airways.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Category 1

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None known.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Petroleum Oil		64742-52-5	70 - 80
Methyl Ester of Soybean Oil		67784-80-9	10 - 20
Dipropylene Glycol Monobutyl Ethe	er	29911-28-2	1 - 5

Chemical name	Common name and synonyms	CAS number	%
Methyl Oleate		67762-26-9	1 - 5
Distillates Petroleum Hydrotreated Heavy		64742-54-7	0.1 - 1

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

Aspiration may cause pulmonary edema and pneumonitis.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

During fire, gases hazardous to health may be formed.

Do not use water jet as an extinguisher, as this will spread the fire.

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Indication of immediate

medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

SDS US

U.S. - OSHA **Form** Components Value **Type** Petroleum Oil (CAS **PEL** 5 mg/m3 Oil mist 64742-52-5) **ACGIH Form** Components **Type** Value Petroleum Oil (CAS **TWA** 5 mg/m3 Oil mist 64742-52-5) **US. ACGIH Threshold Limit Values** Components **Type** Value Benzyl Acetate (CAS **TWA** 10 ppm 140-11-4)

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical stateLiquid.FormLiquid.ColorGold.

Odor Slight petroleum odor

Odor threshold Not established PH Not applicable Melting point/freezing point Not established Initial boiling point and boiling 465.8 °F (241 °C)

range

Flash point 300.2 °F (149.0 °C) Cleveland Open Cup

Evaporation rate < 0.1 BuAc

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not established

(%)

Flammability limit - upper

Not established

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure < 0.05 mm Hg @ 20°C

Vapor density > 1 (air = 1)

Relative density Not available.

Solubility(ies)

Not soluble Solubility (water)

Partition coefficient

(n-octanol/water)

< 1

Not established **Auto-ignition temperature Decomposition temperature** Not established < 20 mm2/s **Viscosity** 

Other information

**Explosive properties** Not explosive. Not established Heat of combustion Not oxidizing. Oxidizing properties

Percent volatile 0 %

0.88 - 0.9 @20°C Specific gravity

VOC 0 % per US State & Federal Consumer Product Regulations

## 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

**Hazardous decomposition** 

products

Carbon oxides.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

No adverse effects due to skin contact are expected. Skin contact Direct contact with eyes may cause temporary irritation. **Eve contact** 

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious Ingestion

chemical pneumonia.

Symptoms related to the

physical, chemical and toxicological characteristics Aspiration may cause pulmonary edema and pneumonitis.

#### Information on toxicological effects

**Acute toxicity** May be fatal if swallowed and enters airways.

Components **Species Test Results** 

Benzyl Acetate (CAS 140-11-4)

**Acute** 

Oral

LD50 Rat > 2000 mg/kg

Dipropylene Glycol Monobutyl Ether (CAS 29911-28-2)

**Acute Dermal** 

LD50 Rat > 2000 mg/kg, 24 Hours

Oral

LD50 Rat 1820 - 2730 mg/kg

Distillates Petroleum Hydrotreated Heavy (CAS 64742-54-7)

**Acute** Dermal

LD50 Rabbit > 2000 mg/kg

40320, 40330, 40340 Version #: 02 Revision date: 03-20-2017 Issue date: 11-07-2016

Components **Species Test Results** Inhalation Rat LC50 > 3.9 mg/l, 4 Hours Oral Rat LD50 > 2000 mg/kg Methyl Oleate (CAS 67762-26-9) Acute **Dermal** LD50 Rabbit > 2000 mg/kg Petroleum Oil (CAS 64742-52-5) **Acute Dermal** LD50 Rabbit > 2000 mg/kg Inhalation LC50 Rat > 3.9 mg/l, 4 Hours Oral LD50 Rat > 2000 mg/kg Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Direct contact with eyes may cause temporary irritation. Serious eve damage/eve irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

**ACGIH Carcinogens** 

Benzyl Acetate (CAS 140-11-4) A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Benzyl Acetate (CAS 140-11-4) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Chronic effects** Prolonged inhalation may be harmful.

**Further information** None known.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results** 

Benzyl Acetate (CAS 140-11-4)

**Aquatic** 

Fish LC50 Medaka, high-eyes (Oryzias latipes) 3.48 - 4.6 mg/l, 96 hours

## Persistence and degradability

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

1.96 Benzyl Acetate

Mobility in soil No data available. Other adverse effects None known.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: LPS® Tapmatic® #1 Gold

40320, 40330, 40340 Version #: 02 Revision date: 03-20-2017 Issue date: 11-07-2016

Safe Drinking Water Act

(SDWA)

Not regulated.

**US** state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates Petroleum Hydrotreated Heavy (CAS 64742-54-7)

Inventory name

Petroleum Oil (CAS 64742-52-5)

#### **International Inventories**

Country(s) or region

, , , , , , , , , , , , , , , , , , ,		, , ,
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

<sup>1003)</sup> 

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

On inventory (yes/no)\*

## 16. Other information, including date of preparation or last revision

 Issue date
 11-07-2016

 Revision date
 03-20-2017

Version # 02

**Disclaimer** ITW Pro Brands cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

Material name: LPS® Tapmatic® #1 Gold

40320, 40330, 40340 Version #: 02 Revision date: 03-20-2017 Issue date: 11-07-2016

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).