# Sikament<sup>®</sup>-100 SC

Revision Date 07/16/2018



## 1. Identification

Product name	:	Sikament <sup>®</sup> -100 SC
Supplier	:	Sika Corporation
		201 Polito Avenue Lyndhurst, NJ 07071 USA www.sikausa.com
Telephone	:	(201) 933-8800
Telefax	:	(201) 804-1076
E-mail address	:	ehs@sika-corp.com
Emergency telephone	:	CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887
Recommended use of the chemical and restrictions on use	:	For further information, refer to product data sheet.

## 2. Hazards identification

GHS Classification	
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
GHS label elements	
Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H351 Suspected of causing cancer.
Precautionary Statements	<ul> <li>Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P281 Use personal protective equipment as required. Response: P308 + P313 IF exposed or concerned: Get medical advice/ attention. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>

Revision Date 07/16/2018



See Section 11 for more detailed information on health effects and symptoms. There are no hazards not otherwise classified that have been identified during the classification process.

There are no ingredients with unknown acute toxicity used in a mixture at a concentration >= 1%.

## 3. Composition/information on ingredients

## Hazardous ingredients

Chemical name	CAS-No.	Concentration (%)
2,2-iminodiethanol	111-42-2	>= 0.1 - < 1 %

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First aid measures

If inhaled	:	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.	
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.	
uelayeu		No known significant effects or hazards.	
		Suspected of causing cancer.	
Protection of first-aiders	:	Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance.	
Notes to physician	:	Treat symptomatically.	

Revision Date 07/16/2018



## 5. Fire-fighting measures

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific extinguishing methods	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	e personal protective equipm ny access to unprotected pe	
Environmental precautions	<ul> <li>Do not flush into surface water or sanitary sewer sy If the product contaminates rivers and lakes or drai respective authorities.</li> <li>Local authorities should be advised if significant sp cannot be contained.</li> </ul>	ers and lakes or drains inform
Methods and materials for containment and cleaning up	ak up with inert absorbent m d binder, universal binder, sa ep in suitable, closed contair	awdust).

## 7. Handling and storage

Advice on safe handling	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products.</li> </ul>
Conditions for safe storage	<ul> <li>Store in original container.</li> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Store in accordance with local regulations.</li> </ul>
Materials to avoid	: No data available

## 8. Exposure controls/personal protection



Revision Date 07/16/2018

Component	CAS-No.	Basis **	Value	Exposure limit(s)* / Form of exposure
Triethanolamine	102-71-6	ACGIH	TWA	5 mg/m3
2,2-iminodiethanol	111-42-2	ACGIH	TWA	1 mg/m3 Inhalable fraction and vapor
		OSHA P0	TWA	3 ppm 15 mg/m3

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### \*\*<u>Basis</u>

ACGIH. Threshold Limit Values (TLV) OSHA P0. Table Z-1, Limit for Air Contaminat (1989 Vacated Values) OSHA P1. Permissible Exposure Limits (PEL), Table Z-1, Limit for Air Contaminant OSHA P2. Permissible Exposure Limits (PEL), Table Z-2 OSHA Z3. Table Z-3, Mineral Dust

w p p e	Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
------------------	---

## Personal protective equipment

Respiratory protection :	Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
	The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
Hand protection Remarks :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection :	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Hygiene measures :	Wash hands before breaks and immediately after handling the

Revision Date 07/16/2018



product.

Remove contaminated clothing and protective equipment before entering eating areas.

## 9. Physical and chemical properties

Appearance	:	liquid
Color	:	dark brown
Odor	:	characteristic
Odor Threshold	:	No data available
Flash point		> 212 °F (> 100 °C)
Ignition temperature		No data available
Decomposition temperature	:	No data available
Lower explosion limit (Vol%)	:	No data available
Upper explosion limit (Vol%)	:	No data available
Flammability (solid, gas)	:	No data available
Oxidizing properties	:	No data available
рН	:	ca. > 7 at 73 °F (23 °C)
Melting point/range / Freezing point Poiling point/poiling range	:	No data available No data available
Boiling point/boiling range	-	
Vapor pressure	:	17 mmHg (23 hpa)
Density	:	ca.1.23 g/cm3 at 73 °F (23 °C)
Water solubility	:	Note: completely soluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	ca.> 20.5 mm2/s at 104 °F (40 °C)
Relative vapor density	:	No data available
Evaporation rate	:	No data available
Burning rate	:	No data available

## Sikament<sup>®</sup>-100 SC

Revision Date 07/16/2018



Volatile organic compounds : 5 g/l (VOC) content

#### 10. Stability and reactivity

eaction known under conditions of normal use.
hemically stable.
commended storage conditions.
e
e

## 11. Toxicological information

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### Carcinogenicity

Suspected of causing cancer.	Group 2B: Possibly carcino	genic to humans
NTP	2,2-iminodiethanol Not applicable	111-42-2

Revision Date 07/16/2018



### 12. Ecological information

Other information		Do not empty into drains; dispose of this material and its container in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Component:		
2,2-iminodiethanol	111-42-2	<u>Toxicity to daphnia and other aquatic invertebrates:</u> EC50 Species: Daphnia magna (Water flea) Dose: 55 mg/l Exposure time: 48 h <u>Toxicity to algae:</u> EC50 Species: Pseudokirchneriella subcapitata (green algae) Dose: 75 mg/l Exposure time: 72 h

## 13. Disposal considerations

Disposal methods	
Waste from residues	: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### 14. Transport information

DOT	
UN number	3082
Description of the goods	Environmentally Hazardous Substance, liquid, n.o.s.
Class	9
Packing group	III
Labels	9

IATA Not regulated

IMDG Not regulated

Shipments of this product in a single package which exceed (3,127) gallons are regulated as a Hazardous Substance as defined in 49 CFR 171.8

## Sikament<sup>®</sup>-100 SC

Revision Date 07/16/2018



Special precautions for user No data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

## 15. Regulatory information

**TSCA list** : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

## **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)
2,2-iminodiethanol	111-42-2	100

#### SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Carcinogenicity
SARA 302	This material does not contain any components with a section 302 EHS TPQ.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Clean Air Act	
Ozone-Depletion Potential	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Air Act Section 112 (40 CFR 6	any chemicals listed under the U.S. Clean Air Act Section 112(r) for

Accidental Release Prevention (40 CFR 68.130, Subpart F).

California Prop 65	$\triangle$	WARNING: Cancer and Reproductive Harm -
		www.P65Warnings.ca.gov

#### 16. Other information

Revision Date 07/16/2018

## **HMIS Classification**



Health •	2
Flammability	1
Physical Hazard	0
Personal Protection	

**Caution:** HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.

## Notes to Reader

The information contained in this Safety Data Sheet applies only to the actual Sika Corporation ("Sika") product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section 1 of this SDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sikausa.com or 201-933-8800.

Revision Date 07/16/2018

Material number: 106495