

Dow Corning Silicone Building Sealants Cross Reference

Dow Corning Sealant

Competitive Sealant

DC 790	Spectrum 1, GE NB, Pecora 890, 150VLM
DC 795 Structural/weather	Spectrum 2 (2 sided only), GE Silpruf, Pecora 895
DC 791	Spectrum 3, GE Ultrapruf, TRS 600, Pecora 864
DC 995 Structural	GE 4000
DC 983 Structural	GE 4400, Proglaze II
DC 756 low dirt pick	none, GE NB (dirt pick-up)
DC CWS	Dymeric, Dymonic, NP1, NP2, Spec 3, Spec 4, TRS 600
	Sika 1A, Sika 15LM, 150VLM, Tremco TWS
DC CCS	Dymeric, Dymonic, NP1, NP2, Spec 3, Spec 4, Sika 1A, Sika 15LM, 150VLM, Tremco TWS
DC 999A	Proglaze, GE 1000
DC 786 mildew resistant	GE 1700, Tremsil 200
DC Glazing	Proglaze, GE 1200
DC 123	GE Silspan, EZ seal
DC Parking Structure Sealant NS	Tremco Parking Structure gun grade, THC 900
DC Parking SL, FC	Tremco Parking Structure SL, THC 900
DC Allguard (water base)	Sonolastic, Thorolastic, Stolastic, Sika 550
DC 982 (two part IG)	GE IGS3723
DC 1199	GE Silglaze 2800, Tremsil 600, TRS600
DC Instant Glaze	HB Fuller 5505, QSO Q17 Instlam, National Starch
	Purfect Glaze, Sikaflex

Due to Chemistry differences it is difficult to cross reference some products. As an example DC 791 does not need primer on Kynar paint finishes where Spec 3 and GE Ultrapruf do require primer.

DC 995 and DC 795 approved for structural glazing on Kynar/Duranar XL paints.

Silicones approved for EIFS, urethanes are NOT.

Silicones approved for Structural Glazing, urethanes are NOT

Silicones are UV stable, urethanes are NOT.