

HIGH PERFORMANCE BUILDING

Color catalog for Dow sealants

DOW

®



DOWSIL™

silicones by **DOW**



















With the Dow Color It Right program, you gain a broader spectrum of color choices for your Dow silicone construction sealants. Offering three levels of selection, you'll find it easier than ever to color it right:

Standard Colors Choose from our most popular in-stock colors for each product.







Catalog Colors With fast three-business-day turnaround times, colors from our expanded color catalog bring you more choices, more quickly. (Some colors require longer lead times and larger minimum orders. Contact our distributor for full details.)

Custom Colors For the most demanding jobs, we will computer match your project-specific substrates to provide an exact color match.

Color catalog for Dow sealants

					
BRIGHT WHITE	CHINA WHITE	NATURAL WHITE	LINEN	DIVINE WHITE*	COLONIAL WHITE
					
OYSTER	BLUSH	BUCKSKIN	BUFF	MANOR WHITE	AMARILLO WHITE
					
GEOGRAPHIC BEIGE	TAN	WICKER	OFF WHITE	ANTIQUE WHITE	PUTTY



		
IVORY	STONE	CAPITAL TAN
		
BEIGE	ADOBE ACCENT	JEFFERSON CITY PINK



		
TERRA TAN	REDWOOD TAN	NATURAL STONE
		
SANDALWOOD	TAUPE	SPECTRUM BROWN
		
LIGHT BRONZE	MILE GRAY	MOONLIGHT
		
ANODIZED ALUMINUM	STONEWALL	MOUNTAIN FOG
		
CHAMPAGNE	AGED COPPER	SEAFOAM GREEN
		
JOHNSON GRAY	DARK GRAY	MIDNIGHT
		
INDEPENDENCE GRAY	GRAY STONE	



Color It Right sealant colors help contractors meet demanding architectural design requirements quickly and simply.

Colors are close approximations of actual sealant colors and are intended for guidance only. Contact your Dow distributor to request cured sealant samples for accurate matching. Any reference to third-party color names is neither an endorsement by the owners of those color names nor an endorsement by Dow of any of the color materials indicated.

		
GALVESTON GRAY	ALUMINUM	CADET GRAY
		
WINDOW BLUE	TIMBER WOLF	ALUMINUM STONE

*Not available in DOWSIL™ 756 SMS Building Sealant.

The colors you need from the brand you trust

Dow makes getting the sealant color you need fast and easy. Need an exact-match color?

Color It Right custom colors, computer-matched to your project-specific substrates, complement our standard and catalog colors for almost unlimited color options.

Check for the latest available color options at www.dow.com/coloritright.

Color It Right program details

Color It Right program color options are available for:

- DOWSIL™ 790 Silicone Building Sealant
- DOWSIL™ 791 Silicone Weatherproofing Sealant
- DOWSIL™ 795 Silicone Building Sealant
- DOWSIL™ 756 SMS Building Sealant
- DOWSIL™ Contractors Weatherproofing Sealant
- DOWSIL™ Contractors Concrete Sealant

Color It Right catalog color sealants typically ship just three business days from order. Color It Right custom color sealants can be ready to ship in nine business days. Low two-case minimum quantities are available, but you can save costs with volume price incentives. Certain colors may require longer lead times and larger minimum orders.

Sealants are supplied exclusively in convenient sausage packaging. Ask your distributor for program limitations and full details.



For more information

Learn more about Dow's full range of High Performance Building solutions, including service and support, at www.dow.com/construction.

Dow has sales offices, manufacturing sites and science and technology laboratories around the globe. Find local contact information at www.dow.com/contactus.



Images: Cover — dow_52287950510; page 2 — dow_40992426535, dow_54947336227; page 3 — dow_40264403398; page 4 — dow_52287948781, dow_41989402612

LIMITED WARRANTY INFORMATION – PLEASE READ CAREFULLY

The information contained herein is offered in good faith and is believed to be accurate. However, because conditions and methods of use of our products are beyond our control, this information should not be used in substitution for customer's tests to ensure that our products are safe, effective and fully satisfactory for the intended end use. Suggestions of use shall not be taken as inducements to infringe any patent.

Dow's sole warranty is that our products will meet the sales specifications in effect at the time of shipment.

Your exclusive remedy for breach of such warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted.

TO THE FULLEST EXTENT PERMITTED BY APPLICABLE LAW, DOW SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY.

DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2019 The Dow Chemical Company. All rights reserved.

S2D 92971/E27349

Form No. 63-1148-01 D