



# FEIN



## Cordless MULTIMASTER AMM 500 Plus Top 4 Ah AS

### Cordless oscillating multi-tool

The high-performance cordless MultiTool for rapid work progress (both interior construction and renovation) with over 30 accessories – for sawing in wood and metal, sanding, removing tiles, and more.

Product number: 7 129 38 61 09 0

## Details

- + Anti-vibration system: Permanently safe, pleasant working conditions with minimum vibrations and outstanding noise damping.
- + StarlockPlus tool mounting: Work faster and with higher precision thanks to 100% no-loss power transmission.
- + QuickIN: Tool change in under 3 seconds with a patented, tool-free, FEIN rapid-clamping system.
- + With the StarlockPlus tool mounting, you have access to around 100 FEIN accessories in the Starlock and StarlockPlus performance categories.
- + DC motor: Effective, high-torque motor technology for output that is virtually identical to that of the model with a cord.
- + Tacho generator: Constant speeds, even under load, and infinitely variable electronic speed control.
- + Metal drive head: High load capacity and maximum service life, since all drive head parts are made of metal.
- + Mechanical interface: For stationary use in the table or drill jig holders, or to attach depth stops.
- + Electronic cell protection (ECP): ECP protects storage batteries against overloading, overheating and deep discharge.
- + COOLPACK technology ensures a longer storage battery service life, enabling longer operation times.
- + The battery capacity can be read directly on the battery.
- + Compatible with AMPShare/Bosch Professional 18 V batteries from 2008 on.
- + Perfectly equipped for any job with our L-BOXX system.

## Price includes

- + 1 E-Cut Long Life saw blade (10 mm)
- + 2 E-Cut Long Life saw blades (2-9/16 [65] in[mm])
- + 1 HM saw blade (Ø 3 [75] in[mm])
- + 1 rigid scraper blade
- + 20 perforated sanding sheets (5 each of grits 60, 80, 120, 180)
- + 1 rapid charger GAL 1880 CV AS
- + 1 tool case (L-BOXX 136)
- + 2 E-Cut Long Life saw blades (1-3/8 [35] in[mm])
- + 1 E-Cut Carbide Pro saw blade (1-1/4 [32] in[mm])
- + 1 carbide rasp (triangular)
- + 1 perforated sanding pad
- + 1 dust extraction device
- + 2 Li-ion battery packs (18 V / 4 Ah)

## Product feature

- + Mechanical interconnection

## Technical data

### TECHNICAL DATA

### VIBRATION AND SOUND EMISSION

## VALUES



Battery voltage	18 V	Sound pressure level LpA Measurement uncertainty of the measured value KpA	78,2 dB 3 dB
Battery capacity	4 Ah		
Battery compatibility	Li-ion / CORE 18 V Li-ions	Sound power level LWA Measurement uncertainty of the measured value KWA	86,2 dB 3 dB
Battery interface	18 V AMPShare	Peak sound value LpCpeak Measurement uncertainty of the measured value KpCpeak	90,6 dB 3 dB
Oscillations	11,000 - 18,500 opm		
Tool mount	StarlockPlus		
Tool change	QuickIN		
Range	2 x 1,7°		
Weight without battery	2.87 [1.30] lbs[kg]		

## Application examples



Compatible with  
AMPShare/Bosch  
Professional  
18 V batteries. |

Compatible avec les batteries 18 V  
AMPShare/Bosch Professional. |  
Compatible con baterías AMPShare/  
Bosch Professional de 18 V.





**FEIN**

