

# Safety Data Sheet

## MasterSeal 900 Qal Brn 203

Revision date : 2016/01/29  
Version: 5.0

Page: 1/9  
(30605993/SDS\_GEN\_US/EN)

### 1. Identification

**Product identifier used on the label**

**MasterSeal 900 Qal Brn 203**

**Recommended use of the chemical and restriction on use**

Recommended use\*: for industrial use only

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

**Details of the supplier of the safety data sheet**

Company:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

**Emergency telephone number**

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

**Other means of identification**

Chemical family: No data available.

---

### 2. Hazards Identification

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

**Classification of the product**

No need for classification according to GHS criteria for this product.

**Label elements**

The product does not require a hazard warning label in accordance with GHS criteria.

**Hazards not otherwise classified**

# Safety Data Sheet

## MasterSeal 900 Qal Brn 203

Revision date : 2016/01/29  
Version: 5.0

Page: 2/9  
(30605993/SDS\_GEN\_US/EN)

No applicable information available.

### 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
147-14-8	>= 25.0 - < 50.0%	C.I. Pigment Blue 15
1309-37-1	>= 25.0 - < 50.0%	Iron oxide
13463-67-7	>= 20.0 - < 25.0%	Titanium dioxide
1328-53-6	>= 7.0 - < 10.0%	C.I. Pigment Green 7
1333-86-4	>= 5.0 - < 7.0%	carbon black
7631-86-9	>= 1.0 - < 3.0%	Silicon dioxide
21645-51-2	>= 1.0 - < 3.0%	aluminium hydroxide

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

##### If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

##### If on skin:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

##### If swallowed:

Rinse mouth immediately with water. Seek medical attention if necessary. Do not induce vomiting unless told to by a poison control center or doctor.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Hazards: No applicable information available.

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

# Safety Data Sheet

## MasterSeal 900 Qal Brn 203

Revision date : 2016/01/29  
Version: 5.0

Page: 3/9  
(30605993/SDS\_GEN\_US/EN)

---

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:  
foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:  
water jet

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon dioxide, carbon monoxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

#### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear a self-contained breathing apparatus.

#### Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Handle in accordance with good building materials hygiene and safety practice.

#### Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up. Dispose of absorbed material in accordance with regulations.  
For large amounts: Sweep/shovel up. Dispose of absorbed material in accordance with regulations.

---

### 7. Handling and Storage

#### Precautions for safe handling

Avoid contact with the skin, eyes and clothing.

#### Protection against fire and explosion:

The substance/product is non-combustible. The product does not contribute to the spreading of flames, nor is it self combustible, not explosive.

#### Conditions for safe storage, including any incompatibilities

No applicable information available.

Further information on storage conditions: Keep only in the original container in a cool, well-ventilated place. Protect from direct sunlight. Store protected against freezing.

---

# Safety Data Sheet

## MasterSeal 900 Qal Brn 203

Revision date : 2016/01/29  
Version: 5.0

Page: 4/9  
(30605993/SDS\_GEN\_US/EN)

### 8. Exposure Controls/Personal Protection

#### Components with occupational exposure limits

C.I. Pigment Blue 15	ACGIH TLV	TWA value 0.2 mg/m <sup>3</sup> fumes/smoke (copper (Cu)); TWA value 1 mg/m <sup>3</sup> Dust and mist (copper (Cu));
Iron oxide	OSHA PEL ACGIH TLV	PEL 10 mg/m <sup>3</sup> fumes/smoke ; TWA value 10 mg/m <sup>3</sup> fumes/smoke ; TWA value 5 mg/m <sup>3</sup> Respirable fraction ;
C.I. Pigment Green 7	ACGIH TLV	TWA value 0.2 mg/m <sup>3</sup> fumes/smoke (copper (Cu)); TWA value 1 mg/m <sup>3</sup> Dust and mist (copper (Cu));
carbon black	OSHA PEL ACGIH TLV	PEL 3.5 mg/m <sup>3</sup> ; TWA value 3.5 mg/m <sup>3</sup> ; TWA value 3 mg/m <sup>3</sup> Inhalable fraction ;
Silicon dioxide	OSHA PEL	TWA value 6 mg/m <sup>3</sup> ; TWA value 20 millions of particles per cubic foot of air ; TWA value 0.8 mg/m <sup>3</sup> ; The exposure limit is calculated from the equation, 80/(%SiO <sub>2</sub> ), using a value of 100% SiO <sub>2</sub> . Lower percentages of SiO <sub>2</sub> will yield higher exposure limits.
Titanium dioxide	OSHA PEL ACGIH TLV	PEL 15 mg/m <sup>3</sup> Total dust ; TWA value 10 mg/m <sup>3</sup> Total dust ; TWA value 10 mg/m <sup>3</sup> ;
aluminium hydroxide	ACGIH TLV	TWA value 1 mg/m <sup>3</sup> Respirable fraction ;

#### **Advice on system design:**

No applicable information available.

#### **Personal protective equipment**

##### **Respiratory protection:**

No applicable information available.

##### **Hand protection:**

Wear chemical resistant protective gloves.

##### **Eye protection:**

Safety glasses with side-shields.

##### **Body protection:**

Body protection must be chosen based on level of activity and exposure.

##### **General safety and hygiene measures:**

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building

# Safety Data Sheet

## MasterSeal 900 Qal Brn 203

Revision date : 2016/01/29  
Version: 5.0

Page: 5/9  
(30605993/SDS\_GEN\_US/EN)

materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

### 9. Physical and Chemical Properties

Form:	paste	
Odour:	slight odour	
Odour threshold:	No data available.	
Colour:	various colours	
pH value:	not applicable	
Melting point:	not applicable	
Boiling point:	No applicable information available.	
Sublimation point:	No applicable information available.	
Flash point:	193.33 °C	(ASTM D93)
Flammability:	not highly flammable	
Lower explosion limit:	No data available.	
Upper explosion limit:	No data available.	
Autoignition:	No data available.	
Density:	> 1 g/cm <sup>3</sup>	
Relative density:	No applicable information available.	
Bulk density:	1,800 - 2,400 kg/m <sup>3</sup>	
Vapour density:	Heavier than air.	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, kinematic:	No applicable information available.	
Solubility (quantitative):	No applicable information available.	
Solubility (qualitative):	No applicable information available.	
Evaporation rate:	No applicable information available.	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

### 10. Stability and Reactivity

#### Reactivity

No applicable information available.

#### Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

#### Chemical stability

No applicable information available.

#### Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

#### Conditions to avoid

See MSDS section 7 - Handling and storage.

Avoid extreme temperatures.

#### Incompatible materials

# Safety Data Sheet

## MasterSeal 900 Qal Brn 203

Revision date : 2016/01/29  
Version: 5.0

Page: 6/9  
(30605993/SDS\_GEN\_US/EN)

strong acids, strong bases, strong oxidizing agents

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: irritant gases/vapours, carbon oxides

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

#### Oral

No applicable information available.

#### Inhalation

No applicable information available.

#### Dermal

No applicable information available.

#### Assessment other acute effects

No applicable information available.

#### Irritation / corrosion

Assessment of irritating effects: Based on available Data, the classification criteria are not met.

#### Sensitization

Assessment of sensitization: Based on available Data, the classification criteria are not met.

### Chronic Toxicity/Effects

#### Repeated dose toxicity

Assessment of repeated dose toxicity: No applicable information available.

#### Genetic toxicity

Assessment of mutagenicity: Based on available Data, the classification criteria are not met.

#### Carcinogenicity

Assessment of carcinogenicity: Contains a compound classified as IARC Group 2B (possibly carcinogenic to humans).

#### *Information on: Titanium dioxide*

*Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term studies in rats in which the substance was given by inhalation, a carcinogenic effect was observed. Tumors*

# Safety Data Sheet

## MasterSeal 900 Qal Brn 203

Revision date : 2016/01/29  
Version: 5.0

Page: 7/9  
(30605993/SDS\_GEN\_US/EN)

*were only observed in rats after chronic inhalative exposure to high concentrations which caused sustained lung inflammation. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. Dermal exposure is not expected to be carcinogenic.*

*Information on: carbon black*

*Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term animal studies in which the substance was given by inhalation in high concentrations, a carcinogenic effect was observed. A clear indication of an increased risk of cancer in humans has so far not been shown. No carcinogenic potential can be deduced from other studies with rats and mice.*

-----

### Reproductive toxicity

Assessment of reproduction toxicity: Based on available Data, the classification criteria are not met.

### Teratogenicity

Assessment of teratogenicity: Based on available Data, the classification criteria are not met.

### Experiences in humans

According to experience, the product is considered to be harmless to health if used in the correct manner.

### Other Information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statement has been derived from the properties of the individual components.

## **Symptoms of Exposure**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

---

## **12. Ecological Information**

### **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Additional information**

Other ecotoxicological advice:

The product has not been tested. Do not allow to enter soil, waterways or waste water channels.

---

## **13. Disposal considerations**

### **Waste disposal of substance:**

Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.

# Safety Data Sheet

## MasterSeal 900 Qal Brn 203

Revision date : 2016/01/29  
Version: 5.0

Page: 8/9  
(30605993/SDS\_GEN\_US/EN)

---

### 14. Transport Information

**Land transport**  
USDOT

Not classified as a dangerous good under transport regulations

**Sea transport**  
IMDG

Not classified as a dangerous good under transport regulations

**Air transport**  
IATA/ICAO

Not classified as a dangerous good under transport regulations

---

### 15. Regulatory Information

#### Federal Regulations

**Registration status:**

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Not hazardous;

**CA Prop. 65:**

WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

**NFPA Hazard codes:**

Health : 0 Fire: 0 Reactivity: 0 Special:

---

### 16. Other Information

**SDS Prepared by:**

BASF NA Product Regulations  
SDS Prepared on: 2016/01/29

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS



# Safety Data Sheet

## MasterSeal 900 Qal Brn 203

Revision date : 2016/01/29  
Version: 5.0

Page: 9/9  
(30605993/SDS\_GEN\_US/EN)

PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET