



Turbo II X AC HEPA

Wet/Dry Dust Extractor

Powerful, HEPA, professional wet / dry vacuum cleaner with fully automatic filter cleaning, for attachment of various case systems, includes extensive accessories.

Product number: 9 20 30 060 99 0

Details

- › Tool cases from various systems can be placed on the vacuum lid and secured.
- › Ergonomic transport of the complete unit, consisting of part tool and vacuum, thanks to push handle, case and accessory fastening.
- › Fully automatic filter cleaning (AC) for uninterrupted work thanks to the longer service life of the specially designed HEPA filter.
- › Reliable vacuuming of all types of dirt from liquids to fine dusts as well as hazardous materials.
- › Electronic shutdown for outstanding wet vacuuming performance.
- › Autostart outlet with power-on delay to prevent current spikes.
- › 25 ft [7.5 m] power cable and 13 ft [4 m] suction hose provide a large operating radius.

Price includes

- ✓ 1 hand guard
- ✓ 1 disposal bag
- ✓ 1 tool coupling with suction control
- ✓ 2 metal extension tubes, 1 combination tool with interchangeable inserts, 1 crevice nozzle, 1 dusting brush, 1 elbow
- ✓ 1 HEPA filter
- ✓ 1 suction hose 13 ft [4 m], 1-3/8 in [35 mm] dia.
- ✓ 1 step adapter

Product feature

- ✓ Automatic on/off
- ✓ Automatic filter cleaning
- ✓ Anti-static function
- ✓ Dust class
- ✓ Soft-start
- ✓ Anti-static preparation
- ✓ Case storage

Technical data

TECHNICAL DATA

| | |
|----------------------|------------------------|
| Maximum power input | 1,100 W |
| Suction capacity | 153 [4,320] cfm[l/min] |
| Static water lift | 98 [245] psi[bar] |
| Capacity | 9.2 [35] gal[l] |
| Cable with plug | 24.6 [7.5] ft[m] |
| Sound pressure level | 70 dB |
| Weight | 31.09 [14.10] lbs[kg] |

VIBRATION AND SOUND EMISSION VALUES

| | |
|---|------------------------|
| Sound pressure level LpA Measurement uncertainty of the measured value KpA | 67 dB 2 dB |
| Sound power level LWA Measurement uncertainty of the measured value KWA | 81 dB 2 dB |
| Vibration value 1 α_{hv} 3-way | < 2,5 m/s ² |

Application examples

