



# SAFETY DATA SHEET

Revision Date 28-Oct-2016

Revision Number 0

*This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.*

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

**Product Name** Rinz Off (Wash-Out) All Colors

### Other means of identification

**Part Number** Black (91109), Blue (44105, 91105), Green (91108), Red (44106, 91106), White (44709), Yellow (44757, 91757)

**Formula Code** A511M (Black), N105 (Blue), N108 (Green), N106 (Red), Y709 (White), Y756 (Yellow)

**UN-Number** UN1263

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Solvent based marker

**Uses advised against** No information available

### Supplier's details

**Initial Supplier**  
ITW Permatex Canada  
1-35 Brownridge Road  
Halton Hills, ON, L7G 0C6  
Canada

**Supplier Address**  
ITW PRO BRANDS  
805 E. Old 56 Highway  
Olathe, KS 66061  
TEL: 1-800-443-9536

### Emergency telephone number

**Emergency Telephone Number** 800-535-5053 Infotrac

## 2. HAZARDS IDENTIFICATION

### Classification

This product is not considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Acute Oral Toxicity

Category 4

|   |            |
|---|------------|
| Serious Eye Damage/Eye Irritation                         | Category 1 |
| Specific Target Organ Systemic Toxicity (Single Exposure) | Category 3 |
| Flammable liquids   | Category 3 |

## Label Elements

### Danger



### Hazard Statements

Harmful if swallowed  
 May be harmful in contact with skin  
 Causes serious eye damage  
 May cause drowsiness or dizziness  
 Flammable liquid and vapor.

### Physical and Health Hazards Not Otherwise Classified

Not applicable.

### Precautionary Statements

#### Prevention

- Wash face, hands and any exposed skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces - No smoking.
- Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Keep cool.

#### General Advice

- None

#### Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER or doctor/physician.

#### Skin

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

#### Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Call a POISON CENTER or doctor/physician if you feel unwell.

#### Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- Rinse mouth.

#### Fire

- In case of fire: Use CO2, dry chemical, or foam for extinction.

#### Storage

- Store in a well-ventilated place. Keep container tightly closed.
- Store locked up.

**Disposal**

- Dispose of contents/container to an approved waste disposal plant.

**Other information**

30.3778% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name      | CAS-No     | Weight % | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|--------------------|------------|----------|--|---|
| Propanol           | 71-23-8    | 91.54    | -  | -   |
| Diacetone alcohol  | 123-42-2   | 32.72    | -  | -   |
| Titanium dioxide   | 13463-67-7 | 19.42    | -  | -   |
| Silicon dioxide    | 7631-86-9  | 3        | -  | -   |
| Aluminum hydroxide | 21645-51-2 | 2        | -  | -   |

### 4. FIRST AID MEASURES

**Description of necessary first-aid measures****General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. If symptoms persist, call a physician.

**Eye Contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.

**Skin Contact**

Flush with cool water. If skin irritation persists, call a physician.

**Inhalation**

Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

**Ingestion**

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Consult a physician if necessary.

**Protection of First-aiders**

Use personal protective equipment. Remove all sources of ignition.

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** Serious eye irritation or damage. Drowsiness. Dizziness.

**Indication of immediate medical attention and special treatment needed, if necessary****Notes to Physician**

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical.

**Unsuitable Extinguishing Media**

No information available.

**Specific Hazards Arising from the Chemical**

Flammable. Keep product and empty container away from heat and sources of ignition. Risk of ignition. Vapors may travel to source of ignition and flash back.

**Explosion Data**

**Sensitivity to Mechanical Impact**

None.

**Sensitivity to Static Discharge**

Yes.

**Protective Equipment and Precautions for Firefighters**

Wear self contained breathing apparatus for fire fighting if necessary. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Stop leak if you can do it without risk. Take precautionary measures against static discharges.

**Environmental Precautions****Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up****Methods for Containment**

Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up**

Small spillage: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Large spillage: Pump or vacuum transfer spilled product to clean containers for recovery. Absorb unrecoverable product.

## 7. HANDLING AND STORAGE

**Precautions for safe handling****Handling**

Avoid contact with skin, eyes and clothing. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. Ensure adequate ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**Conditions for safe storage, including any incompatibilities****Storage**

Keep away from open flames, hot surfaces and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep out of the reach of children. Keep container closed when not in use. Keep away from incompatible materials.

**Incompatible Products**

Strong oxidizing agents. Strong reducing agents. Strong alkalis. Strong acids.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control parameters****Exposure Guidelines**

| Chemical Name                 | ACGIH TLV                 | OSHA PEL   | NIOSH IDLH  |
|-------------------------------|---------------------------|--|---|
| Propanol<br>71-23-8           | TWA: 100 ppm              | TWA: 200 ppm<br>TWA: 500 mg/m <sup>3</sup><br>(vacated) TWA: 200 ppm<br>(vacated) TWA: 500 mg/m <sup>3</sup><br>(vacated) STEL: 250 ppm<br>(vacated) STEL: 625 mg/m <sup>3</sup> | IDLH: 800 ppm<br>TWA: 200 ppm<br>TWA: 500 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 625 mg/m <sup>3</sup> |
| Diacetone alcohol<br>123-42-2 | TWA: 50 ppm               | TWA: 50 ppm<br>TWA: 240 mg/m <sup>3</sup><br>(vacated) TWA: 50 ppm<br>(vacated) TWA: 240 mg/m <sup>3</sup>   | IDLH: 1800 ppm<br>TWA: 50 ppm<br>TWA: 240 mg/m <sup>3</sup>   |
| Titanium dioxide              | TWA: 10 mg/m <sup>3</sup> | TWA: 15 mg/m <sup>3</sup> total dust   | IDLH: 5000 mg/m <sup>3</sup>  |

|                                  |   |   |  |
|----------------------------------|---|---|--|
| 13463-67-7                       |   | (vacated) TWA: 10 mg/m <sup>3</sup> total dust                  |  |
| Silicon dioxide<br>7631-86-9     | 10 mg/m <sup>3</sup>                                      | 20 mppcf TWA; ((80)/(% SiO <sub>2</sub> ))<br>mg/m <sup>3</sup> | IDLH: 3000 mg/m <sup>3</sup><br>TWA: 6 mg/m <sup>3</sup> |
| Aluminum hydroxide<br>21645-51-2 | TWA: 1 mg/m <sup>3</sup> respirable<br>particulate matter | -   | -  |

*Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:*

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Goggles. If splashes are likely to occur, wear: Chemical splash goggles.  
**Skin and Body Protection** Chemical resistant gloves. Risk of contact: Boots. Apron.  
**Respiratory Protection** No special protective equipment required. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

**Hygiene Measures** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                       |                |                       |                           |
|-----------------------|----------------|-----------------------|---------------------------|
| <b>Physical State</b> | Liquid.        | <b>Appearance</b>     | Varies, Thin viscosity,   |
| <b>Odor</b>           | Alcohol, Mild. | <b>Odor Threshold</b> | No information available. |

| <u>Property</u>                        | <u>Values</u>     | <u>Remarks/ - Method</u> |
|--|-------------------|--------------------------|
| pH                                     | No data available | None known               |
| Melting Point/Range                    | No data available | None known               |
| Boiling Point/Boiling Range            | 97.22 °C / 207 °F | None known               |
| Flash Point                            | 25 °C / 77 °F     | None known               |
| Evaporation rate                       | 1.3 (BuAc = 1)    | None known               |
| Flammability (solid, gas)              | No data available | None known               |
| Flammability Limits in Air             |                   |                          |
| upper flammability limit               | 13.7              |                          |
| lower flammability limit               | 2.1               |                          |
| Vapor Pressure                         | No data available | None known               |
| Vapor Density                          | > 1 (air = 1)     | None known               |
| Specific Gravity                       | < 1 @ 70°F        | None known               |
| Water Solubility                       | 70-80%            | None known               |
| Solubility in other solvents           | No data available | None known               |
| Partition coefficient: n-octanol/water | No data available | None known               |
| Autoignition Temperature               | No data available | None known               |
| Decomposition Temperature              | No data available | None known               |
| Viscosity                              | No data available | None known               |

**Flammable Properties** Not flammable

**Explosive Properties** No data available

**Oxidizing Properties** No data available

### Other information

**VOC Content (%)** A511M Black: 88.89%

|                      |                      |
|----------------------|----------------------|
| VOC (g/l)            | N106 Red: 91.52%     |
|                      | N105 Blue: 91.62%    |
|                      | Y709 White: 73.39%   |
|                      | N108 Green: 91.42%   |
|                      | Y756 Yellow: 77.07%  |
|                      | A511M Black: 786 g/L |
|                      | N106 Red: 802 g/L    |
| N105 Blue: 799 g/L   |                      |
| Y709 White: 758 g/L  |                      |
| N108 Green: 804 g/L  |                      |
| Y756 Yellow: 757 g/L |                      |

## 10. STABILITY AND REACTIVITY

|   |  |
|---|--|
| <b>Reactivity</b>                         | No data available.   |
| <b>Chemical stability</b>                 | Stable under recommended storage conditions.                                   |
| <b>Possibility of hazardous reactions</b> | None under normal processing.  |
| <b>Hazardous Polymerization</b>           | Hazardous polymerization does not occur.                                       |
| <b>Conditions to avoid</b>                | Heat, flames and sparks. Incompatible products.                                |
| <b>Incompatible materials</b>             | Strong oxidizing agents. Strong reducing agents. Strong alkalis. Strong acids. |
| <b>Hazardous decomposition products</b>   | Carbon oxides. Soot. Smoke   |

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | May cause drowsiness and dizziness. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal |
| <b>Eye Contact</b>  | Causes serious eye damage.   |
| <b>Skin Contact</b> | May be harmful in contact with skin.   |
| <b>Ingestion</b>    | Harmful if swallowed.  |

### Numerical measures of toxicity - Product

**Unknown acute toxicity** 30.3778% of the mixture consists of ingredient(s) of unknown toxicity.

*The following values are calculated based on chapter 3.1 of the GHS document:*

|                    |                                     |
|--------------------|-------------------------------------|
| <b>LD50 Oral</b>   | 1217 mg/kg; Acute toxicity estimate |
| <b>LD50 Dermal</b> | 2781 mg/kg; Acute toxicity estimate |

| Chemical Name      | LD50 Oral             | LD50 Dermal                                       | LC50 Inhalation                     |
|--------------------|-----------------------|---|-------------------------------------|
| Propanol           | = 1870 mg/kg ( Rat )  | = 4049 mg/kg ( Rabbit )                           | > 13548 ppm ( Rat ) 4 h             |
| Diacetone alcohol  | > 4 g/kg ( Rat )      | = 13630 mg/kg ( Rabbit ) = 13500 mg/kg ( Rabbit ) | > 7.23 g/m <sup>3</sup> ( Rat ) 8 h |
| Titanium dioxide   | > 10000 mg/kg ( Rat ) | -   | -                                   |
| Silicon dioxide    | > 5000 mg/kg ( Rat )  | > 2000 mg/kg ( Rabbit )                           | >2.2 mg/L ( Rat ) 4 h               |
| Aluminum hydroxide | > 5000 mg/kg ( Rat )  | -   | -                                   |

### Symptoms related to the physical, chemical and toxicological characteristics

|                 |                           |
|-----------------|---------------------------|
| <b>Symptoms</b> | No information available. |
|-----------------|---------------------------|

### Delayed and immediate effects and also chronic effects from short and long term exposure

|  |                           |
|--|---------------------------|
| <b>Respiratory or Skin Sensitization</b> | No information available. |
| <b>Germ Cell Mutagenicity</b>            | No information available. |

**Carcinogenicity** This product contains titanium dioxide which is classified as an IARC 2B carcinogen based on laboratory studies where animals were exposed to titanium dioxide dust. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

| Chemical Name    | ACGIH | IARC     | NTP | OSHA |
|------------------|-------|----------|-----|------|
| Titanium dioxide |       | Group 2B | -   | -    |
| Silicon dioxide  |       | Group 3  |     |      |

**IARC: (International Agency for Research on Cancer)**

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

**Reproductive Toxicity** No information available.  
**STOT - single exposure** May cause drowsiness and dizziness  
**STOT - repeated exposure** No information available.  
**Chronic Toxicity** Avoid repeated exposure. May cause adverse liver effects. May cause adverse effects on the bone marrow and blood-forming system.  
**Aspiration Hazard** No information available.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

| Chemical Name                 | Toxicity to Algae                                       | Toxicity to Fish  | Toxicity to Microorganisms  | Daphnia Magna (Water Flea)   |
|-------------------------------|---|---|---|--|
| Propanol<br>71-23-8           |   | LC50 96 h: = 4480 mg/L<br>flow-through (Pimephales promelas)                                      | EC50 = 17700 mg/L 5 min<br>EC50 = 45000 mg/L 5 h<br>EC50 = 8686 mg/L 15 min<br>EC50 = 980 mg/L 12 h | EC50 48 h: 3339 - 3977 mg/L Static (Daphnia magna)<br>EC50 48 h: = 3642 mg/L (Daphnia magna) |
| Diacetone alcohol<br>123-42-2 |   | LC50 96 h: = 420 mg/L<br>(Lepomis macrochirus) LC50 96 h: = 420 mg/L static (Lepomis macrochirus) |   | EC50 24 h: = 8750 mg/L (Daphnia magna)   |
| Silicon dioxide<br>7631-86-9  | EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata) | LC50 96 h: = 5000 mg/L static (Brachydanio rerio)   |   | EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia)  |

**Persistence and Degradability** No information available.

**Bioaccumulation**

| Chemical Name     | Log Pow |
|-------------------|---------|
| Propanol          | 0.34    |
| Diacetone alcohol | 1.03    |

**Mobility** No information available.

**Other Adverse Effects** No information available.

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** Dispose of in accordance with local/regional/national regulations.

**Contaminated Packaging** Do not re-use empty containers.

**US EPA Waste Number** D001  
U239

| Chemical Name            | RCRA | RCRA - Basis for Listing       | RCRA - D Series Wastes | RCRA - U Series Wastes |
|--------------------------|------|--------------------------------|------------------------|------------------------|
| Ethyl acetate - 141-78-6 |      | Included in waste stream: F039 |                        | U112                   |

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste |
|---------------|----------------------------|
| Propanol      | Toxic<br>Ignitable         |

## 14. TRANSPORT INFORMATION

### DOT

|                                 |                       |
|---------------------------------|-----------------------|
| UN-Number                       | UN1263                |
| Proper shipping name            | Paint                 |
| Hazard Class                    | 3                     |
| Packing Group                   | III                   |
| Description                     | UN1263, Paint, 3, III |
| Emergency Response Guide Number | 128                   |

### TDG

|                      |                       |
|----------------------|-----------------------|
| UN-Number            | UN1263                |
| Proper Shipping Name | Paint                 |
| Hazard Class         | 3                     |
| Packing Group        | III                   |
| Description          | UN1263, Paint, 3, III |

### MEX

|                      |                       |
|----------------------|-----------------------|
| UN-Number            | UN1263                |
| Proper Shipping Name | Paint                 |
| Hazard Class         | 3                     |
| Packing Group        | III                   |
| Description          | UN1263, Paint, 3, III |

### IATA

|                      |                       |
|----------------------|-----------------------|
| UN-Number            | UN1263                |
| Proper Shipping Name | Paint                 |
| Hazard Class         | 3                     |
| Packing Group        | III                   |
| ERG Code             | 3L                    |
| Description          | UN1263, Paint, 3, III |

### IMDG/IMO

|                      |                                    |
|----------------------|------------------------------------|
| UN-Number            | UN1263                             |
| Proper Shipping Name | Paint                              |
| Hazard Class         | 3                                  |
| Packing Group        | III                                |
| EmS No.              | F-E, S-E                           |
| Description          | UN1263, Paint, 3, III, (25°C c.c.) |

## 15. REGULATORY INFORMATION

### International Regulations

|  |                |
|--|----------------|
| Ozone depleting substances   | Not applicable |
| Persistent Organic Pollutants  | Not applicable |
| Hazardous Waste  | Not applicable |
| The Rotterdam Convention (Prior Informed Consent)                            | Not applicable |
| International Convention for the Prevention of Pollution from Ships (MARPOL) | Not applicable |

### International Inventories

|      |          |
|------|----------|
| TSCA | Complies |
|------|----------|



DSL Complies

**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

|                                   |     |
|-----------------------------------|-----|
| Acute Health Hazard               | Yes |
| Chronic Health Hazard             | No  |
| Fire Hazard                       | Yes |
| Sudden Release of Pressure Hazard | No  |
| Reactive Hazard                   | No  |

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:

| Chemical Name    | CAS-No     | California Prop. 65 |
|------------------|------------|---------------------|
| Titanium dioxide | 13463-67-7 | Carcinogen          |
| Quartz           | 14808-60-7 | Carcinogen          |

**U.S. State Right-to-Know Regulations**

"X" designates that the ingredients are listed on the state right to know list.

| Chemical Name   | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|---|------------|---------------|--------------|----------|--------------|
| Propanol  | X          | X             | X            |          | X            |
| Diacetone alcohol   | X          | X             | X            |          | X            |
| Titanium dioxide  | X          | X             | X            |          | X            |
| Xanthylum,9-(2-carboxyphe<br>nyl)-3,6-bis(diethyl amino)-,<br>hydrogenbis[3-[(4,5-dihydro-<br>3-methyl-5... | X          |               | X            | X        |              |

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION**

|             |                 |                |                   |                                 |
|-------------|-----------------|----------------|-------------------|---------------------------------|
| <b>NFPA</b> | Health Hazard 3 | Flammability 3 | Instability 0     | Physical and Chemical Hazards - |
| <b>HMIS</b> | Health Hazard 3 | Flammability 3 | Physical Hazard 0 | Personal Protection X           |

Prepared By Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

Issuing Date 28-Oct-2016

---

|               |                  |
|---------------|------------------|
| Revision Date | 28-Oct-2016      |
| Revision Note | Initial Release. |

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**