

Technical Data Sheet



General Purpose Marker

FEATURES

• NSF Certified permanent ink marker (registration no. 140065) for nonfood compounds category R1.



Program Listed R1 #140065

- General purpose, quick drying permanent ink marker.
- Designed for marking on food contact surfaces used in processing, transporting, or holding food products, such as parts of machinery or equipment where meat or poultry would be in repeated or continuous contact.
- Marker can be used to identify storage bins, trays, dies and molds, tools, and processing equipment.
- Ideal for use on metal, glass, plastic, cardboard, rubber, shrink film, stretch wrap, or just about any surface.
- Valve action mechanism prevents ink in barrel from drying when the cap is left off.
- Marker features a threaded barrel that allows the marker cap to be screwed onto the back of the marker barrel, preventing it from falling off during use.
- "Locked nib" prevents tip from falling out and into processing operations.
- The "bulk" ink version can be used as a stenciling or stamping ink for nonfood items.
- Does not contain any reportable amounts of Xylene.

MATERIALS COMPATIBILITY

- Safe on most surfaces.
- Removable with DYKEM® Remover & Cleaner.
- Surface tests should be run to determine compatibility prior to use.

HEALTH AND SAFETY

- Flammable liquid and vapor. Keep away from heat, sparks and flame. Use only with adequate ventilation. Avoid contact with skin and eyes.
- Refer to MSDS (Material Safety Data Sheet) for complete information on health and safety. Visit our website at www.dykem.com to obtain an MSDS.

DIRECTIONS FOR USE

- Shake well with cap on.
- Depress tip to start flow.
- Replace cap when not in use.

AVAILABLE IN

Color	40	Gallon
Black	40907	82907

PHYSICAL PROPERTIES

Appearance	Black liquid	
Specific gravity	<1	
VOC level	<88 % by weight	
Flash point	73°F	
Dry Time*	20-30 seconds	

* Note: Drying time may vary depending on film thickness.

