



Precision Clean

Multi-Purpose Cleaner/Degreaser



FEATURES

- Super industrial strength removes tough stains and soils
- Does not contain butyl, chlorinated or petroleum solvents, bleach, ammonia, or abrasives
- Alkaline formula inhibits flash rusting
- Rinses clean
- Safe on all surfaces except magnesium
- VOC compliant in all 50 states
- Nonfood Compounds Program Listed Category Code: C1
Registration #059854

IS (IDENTIFICATION SYSTEM)

APPLICATIONS

- Bilges
- Carbon blocks
- Grease traps
- Exhaust hoods
- Compressors
- Concrete
- Engines
- Tanks
- Hoists
- Tools
- Machinery
- Garage floors
- Drill presses
- Sidewalks
- Driveways
- Ovens

SPECIFICATIONS AND APPROVALS

- Tampa Electric Co.
- Halliburton
- Kimberly-Clark
- Inland Steel
- Timken Steel
- Universal-Leaf
- PPG Glass Mfg.
- Kodak
- Hazelton Pump
- Dresser Rand
- Caterpillar
- Honda Corp.
- General Motors Co.
- Ford Motor Co.
- McDonnell Douglas CSD #1
- Lockheed Martin DSDN H01.1578
- FLS Aerospace B757, A32
- British Airways LPSPCCD800
- Boeing D6-17487 Rev. H
- ASTM F-519, Type 1C
- ASTM D-2667
- NSF

AVAILABLE PRODUCTS

| Part No. | | Net Contents | Container | Case Pack | Case Wt. |
|----------|--------|------------------------------|-----------|-----------|----------|
| US | Canada | | | | |
| 02720 | C02720 | 18 wt. oz./510 g/525 mL | Aerosol | 12 | 18.0 |
| 02728 | C02728 | 28 fl. oz. (828 mL) | Trigger | 12 | 27.0 |
| 02765 | C02765 | 55 gal. (208 L) | Drum | 1 | 535.0 |
| 02701 | C02701 | 1 gal. (3.78 L) concentrate | Bottle | 4 | 38.0 |
| 02705 | C02705 | 5 gal. (18.93 L) concentrate | Pail | 1 | 46.0 |
| 02755 | C02755 | 55 gal. (208 L) concentrate | Drum | 1 | 535.0 |



CONTACT YOUR ITW PRO BRANDS REPRESENTATIVE TODAY!
800.241.8334 | www.lpslabs.com

©2018 ITW Pro Brands • LPS® is a registered trademark of Illinois Tool Works All Rights Reserved • TDS02720 • 181101

INDUSTRIAL DEGREASERS



Precision Clean

Multi-Purpose Cleaner/Degreaser

| PROPERTIES | AEROSOL | CONCENTRATE | RTU |
|------------------------------|---|---|---|
| Appearance/physical state | Gas/Aerosol | Clear/Liquid | Clear/Liquid |
| Odor | Citrus | Citrus | Mild/Citrus |
| Melting point/freezing point | Not available | Not available | Not available |
| Boiling point/range | 212°F (100°C) | 212°F (100°C) | 212°F (100°C) |
| Vapor pressure | < 17.5 mm Hg @20°C | < 17.5 mm Hg @20°C | < 17.5 mm Hg @20°C |
| Partition coefficient | Not available | Not available | Not available |
| Percent volatile | 97% | >90% | 96% |
| pH | 12.9 | 13 | 12.5 |
| Propellant | Petroleum Gases, Liquefied | Not applicable | Not applicable |
| VOC Content | 5.8 % per U.S. State and Federal Consumer Product Regulations | 1.5 % per U.S. State and Federal Consumer Product Regulations | 0.38% per U.S. State and Federal Consumer Product Regulations |
| Color | Greenish-blue | Greenish-blue | Green |
| Flash point | Not established | Not established | Not established |
| Density | Not available | 8.87 lb/gal | 8.44 lb/gal |
| Evaporation rate | 1 BuAc | 1 BuAc | 1 BuAc |
| Vapor density | >1 | >1 | >1 |
| Auto-ignition temperature | Not available | Not available | Not available |
| Viscosity | < 3 cSt | Not available | Low viscosity comparable to water (water = 1 cSt. @ 20°C) |
| Specific Gravity (water=1) | 1 - 1.03 @ 20°C | 1.06 @ 20°C | 1.01 @ 20°C |
| Temperature Range °F(°C) | Not available | Not available | Not available |
| 4-Ball Weld Load | Not applicable | Not applicable | Not applicable |
| Solubility in Water | 100% | 100% | 100% |

DIRECTIONS

(Aerosol) Shake well before using. Spray directly on surface to be cleaned. Allow foam to set 10 to 30 seconds. Wipe or rinse clean. Conductive (water-based). Do not use on energized equipment. If equipment is still dirty or greasy, repeat procedure.
 (Bulk) KEEP FROM FREEZING. MIX WELL BEFORE USING. Rinse and/or wipe dry any residue. Test for compatibility on delicate materials.

Dilution Ratio Product:

| Water | Equipment | Applications |
|----------|-----------------|--|
| 1: 4 | Parts Washers | Carbon blocks, engines, exhaust hoods, forklifts, graffiti, marine, tanks, varnish |
| 1: 5 | Dip Tanks | Aviation, compressors, food processing equipment, floors, hoists, lifts, printing presses, tools |
| 1: 7 | Tumblers | Drill presses, oily parts, pulleys and wires |
| 1: 10 | Ultrasonic | Cleaning electrical parts (Deionized water rinse/dry) |
| 1: 4-20 | Steam Cleaner | Engines, parts |
| 1: 60 | Trigger Sprayer | Floors, leather and fabrics, tile, walls, wood |
| 1: 40-80 | Pressure Washer | Cleaning parts, floors, trucks, etc. |
| 1: 100 | Trigger Sprayer | Appliances, formica, general cleaning of glass, walls |

STORAGE

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS)

DISPOSAL INFORMATION

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.



CONTACT YOUR ITW PRO BRANDS REPRESENTATIVE TODAY!
 800.241.8334 | www.lpslabs.com

©2018 ITW Pro Brands • LPS® is a registered trademark of Illinois Tool Works All Rights Reserved • TDS02720 • 181101