

LPS[®] MICRO-X



FEATURES

- Quick penetration
- Does not contain chlorinated solvents
- No residue
- No rinsing
- Fast drying
- Safe on metal and plastics
- Inverta Spray Valve lets you spray in upright or inverted positions
- NEW - Environmentally friendly aerosol can contains greater than 50% recycled steel

APPLICATIONS

- Circuit Breakers
- Connectors
- Contacts
- Controls
- Fluid Systems
- Generators
- Instrumentation
- Keyboards
- Magnetic Tape Heads
- Motors
- Office Equipment
- Printed Circuits
- Relays
- Semiconductor Assemblies
- Sensors
- Switch Gears
- Switches
- Telecommunication Equipment
- Telephone Equipment
- Terminals
- TV Tuners

PACKAGES

Net Content	Part No.
11 wt. oz. / 312 g. / 466 mL aerosol	04516
55 gal. (208 L) drum	04555

PROPERTIES

KB Value: 29	% HCFCs: None Propellant: Carbon Dioxide
Specific Gravity (H₂O=1): 0.64 – 0.66 @ 77°F (25°C)	
Flash Point: 0°F (-18°C) TCC (concentrate)	
VOC Content: 95.8%, 630 g/L, 5.3 lb./gal (aerosol) 100%, 657g/L, 5.5 lb./gal (bulk)	



Nonfood Compounds
Program Listed
Category Code: K2
Registration
059853 (Aerosol);
059852 (Bulk)



Value Performance

MATERIAL SAFETY DATA SHEETS AVAILABLE UPON REQUEST OR VISIT OUR WEBSITE: WWW.LPSLABS.COM

LPS Laboratories • An Illinois Tool Works Company

P.O. Box 105052 • 6447 Hugh Howell Road • Tucker, GA 30085-5052 • TEL: (800) 241-8334 or (770) 243-8800 • FAX: (800) 543-1563 or (770) 243-8899

Internet Website: www.lpslabs.com

©2010 LPS Laboratories • LPS[®] is a registered trademark of Illinois Tool Works • Printed in U.S.A. • All Rights Reserved • Form #2126 • Rev. 5/2010