/ersion 1.0	Revision Date: 08/31/2020		DS Number: 00000261389	Date of last issue: - Date of first issue: 08/31/2020	
SECTION	1. IDENTIFICATION				
	uct name uct code	:	MasterEmaco 000000000051	N 400RS 713148 00000000051713148	
Manu	afacturer or supplier's	deta	ails		
Comp	Company name of supplier Address		Master Builders-Admixtures US,LLC 23700 CHAGRIN BLVD Beachwood OH 44122		
Emergency telephone		:	ChemTel: +1-813-248-0585 USA: +1-800-255-3924 Contrac Number MIS9240420		
Reco	mmended use of the	chen	nical and restric	ctions on use	
	mmended use ictions on use			nstruction chemicals industrial and professional use.	
SECTION	2. HAZARDS IDENTI		TION		
сно	classification in acco	rdan	ce with 29 CER	1910 1200	
	corrosion/irritation	:	2	1010.1200	
Serious eye damage/eye		:	Category 1		

Serious eye damage/eye irritation	:	Category 1
Carcinogenicity (Inhalation)	:	1A (Lung)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	2 (Kidney, Immune system)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	 H318 Causes serious eye damage. H315 Causes skin irritation. H350 May cause cancer. H373 May cause damage to organs through prolonged or repeated exposure. H372 Causes damage to organs through prolonged or repeated exposure if inhaled.
Precautionary Statements	:	Prevention: P280 Wear protective gloves/ protective clothing/ eye protection/

ersion 0	Revision Date: 08/31/2020	SDS Number: 000000261389	Date of last issue: - Date of first issue: 08/31/2020
		P260 Do not b P202 Do not h and understoo P270 Do not e	pecial instructions before use. reathe dust or mist. andle until all safety precautions have been read
		for several min to do. Continue P310 Immedia P303 + P352 II and water.	• P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy e rinsing. tely call a POISON CENTER/ doctor/ F ON SKIN (or hair): Wash with plenty of soap Take off contaminated clothing and wash it before
		Storage:	ked up
		P405 Store loc Disposal:	red up.
		-	of contents/container to appropriate hazardous n point.
••	r hazards ta available.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: No data available.

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 - < 75
Cement, portland, chemicals	65997-15-1	>= 10 - < 20
Glass, oxide, chemicals	65997-17-3	>= 3 - < 7
Calcium sulphate	7778-18-9	>= 1 - < 5
Titanium dioxide	13463-67-7	>= 0.3 - < 3
Mullite	1302-93-8	>= 1 - < 3

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attend- ance. Do not leave the victim unattended.
If inhaled	:	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	

SAFETY DATA SHEET

MasterEmaco N 400RS

Version 1.0	Revision Date: 08/31/2020	SDS Number: 000000261389	Date of last issue: - Date of first issue: 08/31/2020
In case of eye contact		If on clothes, Small amoun sue damage In the case of of water and	se well with water. remove clothes. ts splashed into eyes can cause irreversible tis- and blindness. contact with eyes, rinse immediately with plenty seek medical advice. ing eyes during transport to hospital.
lf swal	lowed	Remove cont Protect unhar Keep eye wid If eye irritation : Keep respirat Do NOT indu Do not give m	act lenses. med eye. e open while rinsing. n persists, consult a specialist. ory tract clear.
Most important symptoms and effects, both acute and delayed		If symptoms p Take victim in Causes skin i Causes serio May cause ca Causes dama exposure if in	persist, call a physician. Inmediately to hospital. Irritation. Lus eye damage. Incer. Luge to organs through prolonged or repeated haled.
Notes	to physician	exposure. : Treat sympto	amage to organs through prolonged or repeated matically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media		Water spray Foam Dry powder Carbon dioxide (CO2) High volume water jet
media Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Further information		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Wear self-contained breathing apparatus for firefighting if nec-
for fire-fighters	•	essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

MasterEmaco N 400RS

Versior 1.0	n Revision Date: 08/31/2020		05 Number: 0000261389	Date of last issue: - Date of first issue: 08/31/2020
	ethods and materials for ntainment and cleaning up	:	Neutralize with a Keep in suitable,	cid. closed containers for disposal.
SECTI	ON 7. HANDLING AND ST	OR	AGE	
	lvice on protection against e and explosion	:	Avoid dust forma Provide appropri is formed.	ition. ate exhaust ventilation at places where dust
Ac	lvice on safe handling	:	Do not breathe v Avoid exposure Avoid contact win For personal pro Smoking, eating plication area. Provide sufficien	obtain special instructions before use.
Co	onditions for safe storage	:	Keep container t place. Observe label pr Electrical installa	ightly closed in a dry and well-ventilated ecautions. tions / working materials must comply with I safety standards.
	rther information on stor- e conditions	:		ld be stored tightly sealed in a dry place.
M	aterials to avoid	:	Segregate from a Segregate from a Segregate from a Segregate from a	acids and bases.
	rther information on stor- e stability	:	No data available	9

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Calcium sulphate	7778-18-9	TWA value (Inhalable fraction)	10 mg/m3	ACGIHTLV
		REL value (Respirable)	5 mg/m3	NIOSH
		REL value (Total)	10 mg/m3	NIOSH
		PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)
		PEL (Total	15 mg/m3	29 CFR

ersion 0	Revision Date: 08/31/2020	SDS Number: 000000261389	Date of last issue: - Date of first issue: 08/31/2020			
			dust)		1910.1000 (Table Z-1)	
			TWA value	5 mg/m3	29 CFR	
			(Respirable	5	1910.1000	
			fraction)		(Table Z-1-	
			TWA value	15 mg/m3	29 CFR	
			(Total dust)	10 1119/1110	1910.1000	
					(Table Z-1-	
			TWA (Res-	5 mg/m3	NIOSH RE	
			pirable)	o mg/mo		
			TWA (total)	10 mg/m3	NIOSH RE	
			TWA (total	15 mg/m3	OSHA Z-1	
			dust)	15 119/115	03114 2-1	
			TWA (respir-	5 mg/m3	OSHA Z-1	
			able fraction)	5 mg/m5	03HA Z-1	
				15 mg/m2	OSHA P0	
			TWA (Total	15 mg/m3		
			dust) TWA (respir-	5 m m/m 2	OSHA P0	
			able dust	5 mg/m3	USHA PU	
			fraction)	10		
			TWA (Inhal-	10 mg/m3	ACGIH	
			able particu-	(Calcium)		
			late matter)			
Litani	um dioxide	13463-67-7	TWA value	10 mg/m3	ACGIHTLV	
			PEL (Total	15 mg/m3	29 CFR	
			dust)		1910.1000	
					(Table Z-1)	
			TWA value	10 mg/m3	29 CFR	
			(Total dust)		1910.1000	
					(Table Z-1-	
			TWA (total	15 mg/m3	OSHA Z-1	
			dust)			
			TWA (Total	10 mg/m3	OSHA P0	
			dust)			
			TWA	10 mg/m3	ACGIH	
				(Titanium dioxide)		
Quart	tz (SiO2)	14808-60-7	TWA value	0.025 mg/m3	ACGIHTLV	
			(Respirable			
			fraction)			
			TWA value	0.05 mg/m3	29 CFR	
				(Respirable dust)	1910.1001-	
					1050	
			OSHA Action	0.025 mg/m3	29 CFR	
			level	(Respirable dust)	1910.1001-	
					1050	
			REL value	0.05 mg/m3	NIOSH	
			(Respirable			
			dust)	0.05 m m/m 0		
			TWA (Res-	0.05 mg/m3	OSHA Z-1	
			pirable dust)	10		
			TWA (respir-	10 mg/m3 /	OSHA Z-3	
			able)	%SiO2+2		
			TWA (respir-	250 mppcf /	OSHA Z-3	
			able)	%SiO2+5	1	

sion	Revision Date: 08/31/2020	SDS Number: 000000261389	Date of last issue: - Date of first issue: 08/31/2020			
			TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
			PEL (respir- able)	0.05 mg/m3	OSHA CAF	
-			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH RE	
Ceme	ent, portland, chemicals	65997-15-1	TWA value (Respirable fraction)	1 mg/m3	ACGIHTLV	
			REL value (Total)	10 mg/m3	NIOSH	
			REL value (Respirable)	5 mg/m3	NIOSH	
			PEL (Total dust)	15 mg/m3	29 CFR 1910.1000 (Table Z-1)	
			PEL (Respir- able fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1)	
			TWA value (Total dust)	10 mg/m3	29 CFR 1910.1000 (Table Z-1-	
			TWA value (Respirable fraction)	5 mg/m3	29 CFR 1910.1000 (Table Z-1-	
			TWA value	50 millions of particles per cubic foot of air	29 CFR 1910.1000 (Table Z-3)	
			TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH	
			TWA (Res- pirable)	5 mg/m3	NIOSH RE	
			TWA (total) TWA (total dust)	10 mg/m3 15 mg/m3	NIOSH RE OSHA Z-1	
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1	
			TWA (Total dust)	10 mg/m3	OSHA P0	
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0	
			TWA (Dust)	50 Million parti- cles per cubic foot	OSHA Z-3	
Glass	s, oxide, chemicals	65997-17-3	TWA value (Inhalable fraction)	5 mg/m3	ACGIHTLV	

ersion)	Revision Date: 08/31/2020	SDS Number: 000000261389	Date of las Date of firs	t issue: - t issue: 08/31/2020	
			REL value (Fiber, total)	5 mg/m3	NIOSH
			REL value (fibers, total dust)	5 mg/m3	NIOSH
			REL value (Fiber)	3 fibers/cm ³	NIOSH
			REL value (Fibrous dust)	3 fibers/cm ³	NIOSH
			TWA value (Fiber)	1 fibers/cm ³	ACGIHTLV
			TWA value (Fiber)	0.2 fibers/cm ³	ACGIHTLV
			TWA (fibers)	1 fibres per cubic centimeter	ACGIH
			TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
			TWA (fibers)	1 fibres per cubic centimeter	ACGIH
			TWA (fibers)	1 fibres per cubic centimeter	ACGIH
Mullite	9	1302-93-8	TWA value (Respirable fraction)	1 mg/m3	ACGIHTLV
			TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3 (Aluminum)	ACGIH
Engir	neering measures	: Provide local P.E.L.	exhaust ventilat	ion to maintain recon	nmended
	onal protective equip	ment			
Respi	ratory protection		otection if dusts a H-certified (or e	are formed. quivalent) particulate	respirator.
Hand	protection				
Re	emarks		<pre>/ for a specific w ucers of the prot</pre>	orkplace should be d ective gloves.	liscussed
Eye p	rotection	Tightly fitting	ttle with pure wa safety goggles ield and protecti	ter ve suit for abnormal	processing
Skin a	and body protection	: Choose body	 Choose body protection according to the amount and concentration of the dangerous substance at the work place. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. 		
Protec	ctive measures	: Avoid contac Avoid inhalat In order to pr working cloth Handle in acc and safety pr			
Hygie	ne measures	: When using a When using a	do not eat or drin	k.	

Version 1.0	Revision Date: 08/31/2020		S Number: 0000261389	Date of last issue: - Date of first issue: 08/31/2020
			Wash hands befo	re breaks and at the end of workday.
SECTION	9. PHYSICAL AND CH	EMIC	CAL PROPERTIE	S
Appe	arance	:	powder	
Color		:	gray	
Odor		:	mild	
Odor	Threshold	:	Not determined	due to potential health hazard by inhalation.
рН		:	13 (68 °F / 20 °C (as aqueous sole	
Meltir	ng point	:	No applicable inf	ormation available.
Boilin	g point	:	No applicable inf	ormation available.
Flash	point	:	No applicable inf	ormation available.
Evap	oration rate	:	No applicable inf	ormation available.
Flam	mability (solid, gas)	:	not determined	
Self-ig	gnition	:	not self-igniting	
	r explosion limit / Upper nability limit	:	knowledge of its	r experience with this product and our composition we do not expect any hazard as uct is used appropriately and in accordance d use.
	r explosion limit / Lower nability limit	:	knowledge of its	r experience with this product and our composition we do not expect any hazard as uct is used appropriately and in accordance I use.
Vapo	r pressure	:	No applicable inf	ormation available.
Relat	ive vapor density	:	No applicable inf	ormation available.
Relat	ive density	:	No applicable inf	ormation available.
	density	:	1.6 g/ml	
	ility(ies) ater solubility	:	insoluble (59 °F	/ 15 °C)
Sc	blubility in other solvents	:	No applicable int	ormation available.
	ion coefficient: n-	:	No applicable int	ormation available.
	ol/water gnition temperature	:	No applicable int	ormation available.
Deco	mposition temperature	:	No decomposition scribed/indicated	n if stored and handled as pre- I.

Version 1.0	Revision Date: 08/31/2020		S Number: 0000261389	Date of last issue: - Date of first issue: 08/31/2020
Viscosity Viscosity, dynamic Viscosity, kinematic Explosive properties		:		formation available. formation available.
Oxidi	zing properties	:	Based on its struas oxidizing.	ictural properties the product is not classified
Self-ł	neating substances	:	No data availabl	e
Subli	mation point	:	No applicable in	formation available.
Moleo	cular weight	:	No data availabl	e

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions		No decomposition if stored and applied as directed. No decomposition if stored and applied as directed. No decomposition if stored and applied as directed.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong bases Strong acids
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Skin corrosion/irritation		
Acute dermal toxicity	:	Remarks: No applicable information available.
Acute inhalation toxicity	:	Remarks: No applicable information available.
Acute oral toxicity	:	Remarks: No applicable information available.

Causes skin irritation.

Product:

Remarks :	Extremely corrosive and	destructive to tissue.
-----------	-------------------------	------------------------

Serious eye damage/eye irritation

Causes serious eye damage.

ersion)	Revision Date: 08/31/2020		0S Number: 0000261389	Date of last issue: - Date of first issue: 08/31/2020			
<u>Produ</u>	ict:						
Rema		:	May cause irre	eversible eye damage.			
Respi	ratory or skin sens	itizatio	n				
Skin s	sensitization						
Not cl	assified based on av	vailable	information.				
Respiratory sensitization Not classified based on available information.							
Produ	ıct:						
Rema		:		is product has been reduced. Sensitization due thin stated shelf-live is unlikely.			
	cell mutagenicity						
	assified based on av	ailable	information.				
	n ogenicity ause cancer.						
Reproductive toxicity Not classified based on available information.							
STOT-single exposure Not classified based on available information.							
Cause	STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure if inhaled. May cause damage to organs through prolonged or repeated exposure.						
-	ation toxicity assified based on av	ailable	information.				
Furth	er information						
<u>Produ</u> Rema		:	No data availa	ble			
CTION	12. ECOLOGICAL I	NFORM	IATION				
Ecoto	oxicity						
<u>Produ</u>	<u>ict:</u>						
	xicology Assessm	ent					
	aquatic toxicity	:	This product h	as no known ecotoxicological effects.			
Chron	ic aquatic toxicity	:	This product h	as no known ecotoxicological effects.			
Persi	stence and degrada	ability					
<u>Produ</u>	ict:						
	gradability		Remarke: Not	applicable for inorganic substances.			

ersion)	Revision Date: 08/31/2020		0S Number: 0000261389	Date of last issue: - Date of first issue: 08/31/2020
Bioac	cumulative potential			
<u>Produ</u> Bioac	<u>uct:</u> cumulation	:		product will not be readily bioavailable due to and insolubility in water.
<u>Comp</u>	oonents:			
Partiti	z (SiO2): on coefficient: n- ol/water	:	Remarks: not a	pplicable
Partiti	ent, portland, chemica on coefficient: n- ol/water	ls: :	GLP: no Remarks: not a	pplicable
Partiti	s, oxide, chemicals: on coefficient: n- ol/water	:	Remarks: The substance is in	value has not been determined because the organic.
Partiti	u m sulphate: on coefficient: n- ol/water	:	GLP: no Remarks: The substance is in	value has not been determined because the organic.
Partiti	i um dioxide: on coefficient: n- ol/water	:	Remarks: not a	pplicable
	e: on coefficient: n- ol/water	:	Remarks: No d	ata available.
Mobil	ity in soil			
	uct: oution among environ- al compartments	:	particles is prot is not expected	will not evaporate into the atmosphere from
Other	adverse effects			
	<u>uct:</u> ts of PBT and vPvB sment	:	to be either per	/mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
Additi	onal ecological infor-	:	There is a high	probability that the product is not acutely

Version 1.0	Revision Date: 08/31/2020		Number: 00261389	Date of last issue: - Date of first issue: 08/31/2020		
mation		harmful to aquatic organisms. The product has not been tested. The statements on ecotoxi- cology have been derived from the properties of the individual components.				
SECTION	13. DISPOSAL CONS	SIDERA	TIONS			
Disposal methods						
Wast	e from residues	c: D tie	al or used cont ispose of in ac ons.	nate ponds, waterways or ditches with chemi- ainer. cordance with national, state and local regula- e into drains/surface waters/groundwater.		
Conta	aminated packaging	: C a	ontaminated p	ackaging should be emptied as far as possible in the same manner as the sub-		

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know	
Calcium sulphate	7778-18-9
Titanium dioxide	13463-67-7
Quartz (SiO2)	14808-60-7
Cement, portland, chemicals	65997-15-1
Glass, oxide, chemicals	65997-17-3
New Jersey Right To Know	
Calcium sulphate	7778-18-9
Titanium dioxide	13463-67-7
Quartz (SiO2)	14808-60-7
Cement, portland, chemicals	65997-15-1
Glass, oxide, chemicals	65997-17-3

Version 1.0	Revision Date: 08/31/2020	SDS Number: 000000261389	Date of last issue: - Date of first issue: 08/31/2020
	Lithium carbonat	е	554-13-2
Calif	ornia Prop. 65		
know Lithiu	n to the State of Califo m carbonate, which is	ornia to cause cancer /are known to the Sta	micals including Titanium dioxide, which is/are , and ate of California to cause birth defects or other w.P65Warnings.ca.gov.
The i	ngredients of this pr	oduct are reported	in the following inventories:
TSCA	Ą	: On the invent	ory, or in compliance with the inventory
	16. OTHER INFORM	ATION	
NFP	A 704:		HMIS® IV:
	Flammability		
			HEALTH
			FLAMMABILITY
Hea		Instability	
			PHYSICAL HAZARD
	\checkmark		HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing signifi-
	Special hazar	4	cant hazards or risks. The "*" represents

Full text of other abbreviations

Special hazard

29 CFR 1910.1000 (Table Z- 1-A)	:	OSHA - Table Z-1-A (29 CFR 1910.1000)
29 ĆFR 1910.1000 (Table Z- 1)	:	OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000
29 CFR 1910.1000 (Table Z- 3)	:	OSHA Table Z-3 (Mineral Dusts) 29 CFR 1910.1000
29 CFR 1910.1001-1050	:	OSHA - Specifically Regulated Substances (29 CFR 1910.1001-1050)
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIHTLV	:	American Conference of Governmental Industrial Hygienists - threshold limit values (US)
NIOSH	:	NIOSH Pocket Guide to Chemical Hazards (US)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

a chronic hazard, while the "/" represents

the absence of a chronic hazard.

Version 1.0	Revision Date: 08/31/2020		0S Number: 0000261389	Date of last issue: - Date of first issue: 08/31/2020
OSHA Z-1 OSHA Z-3		:	1910.1000 USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min- eral Dusts	
1-A) / TWA value 29 CFR 1910.1000 (Table Z-			Time Weighted Average (TWA): Permissible exposure limit	
1) / PEL 29 CFR 1910.1000 (Table Z- 3) / TWA value		:	Time Weighted Average (TWA):	
29 CFR 1910.1001-1050 / OSHA Action level 29 CFR 1910.1001-1050 / TWA value		:	OSHA Action level: Time Weighted Average (TWA):	
ACGIH ACGIH NIOSH NIOSH OSHA OSHA OSHA	/ TWA TLV / TWA value / REL value REL / TWA CARC / PEL P0 / TWA Z-1 / TWA	:	Time-weighted av workday during a Permissible expos 8-hour time weigh 8-hour time weigh	verage (TWA): xposure limit (REL): rerage concentration for up to a 10-hour 40-hour workweek sure limit (PEL) ited average ited average
OSHA Z-3 / TWA		·	8-hour time weigh	neu average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations;

SAFETY DATA SHEET

MasterEmaco N 400RS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/31/2020	00000261389	Date of first issue: 08/31/2020

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 08/31/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN