Revision Date: 08/04/2020			Date of last issue: - Date of first issue: 08/04/2020
1. IDENTIFICATION			
ict name ict code	:	MasterInject 138 0000000000553	30 PART A 52658 00000000055352658
facturer or supplier's	deta	ails	
bany name of supplier less			
gency telephone	:	ChemTel: +1-81 Number MIS924	3-248-0585 USA: +1-800-255-3924 Contrac 0420
mmended use of the	chen	nical and restrict	ions on use
mmended use ictions on use	-		truction chemicals lustrial and professional use.
	08/04/2020 <b>1. IDENTIFICATION</b> act name act code <b>facturer or supplier's</b> bany name of supplier ass gency telephone <b>mmended use of the</b> mmended use	08/04/2020       00         1. IDENTIFICATION         act name       :         act code       :         facturer or supplier's deta         bany name of supplier       :         gency telephone       :         mmended use of the chemmended use       :	08/04/2020       000000261099         1. IDENTIFICATION         act name       : MasterInject 138         act code       : 0000000000553         facturer or supplier's details         bany name of supplier       : Master Builders-         ass       : 23700 CHAGRII         Beachwood OH         gency telephone       : ChemTel: +1-81         Number MIS924         mmended use       : Product for cons

#### GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	:	2
Serious eye damage/eye irritation	:	Category 2A
Skin sensitization	:	Category 1
Germ cell mutagenicity	:	2
Short-term (acute) aquatic hazard	:	2
Long-term (chronic) aquatic hazard	:	2
GHS label elements Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	<ul> <li>H319 Causes serious eye irritation.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H341 Suspected of causing genetic defects.</li> <li>H401 Toxic to aquatic life.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> </ul>
Precautionary Statements	:	<b>Prevention:</b> P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Version 1.0	Revision Date: 08/04/2020	SDS Number: 000000261099	Date of last issue: - Date of first issue: 08/04/2020
		P273 Avoid rele P201 Obtain sp P202 Do not ha and understood P272 Contamir the workplace.	eathing dust/ fume/ gas/ mist/ vapours/ spray. ease to the environment. becial instructions before use. andle until all safety precautions have been read d. hated work clothing should not be allowed out of ce, hands and any exposed skin thoroughly after
		Response:	
		for several min to do. Continue P303 + P352 IF and water. P308 + P311 IF CENTER/ doct P332 + P313 If tion. P362 + P364 T reuse. P391 Collect sp	FON SKIN (or hair): Wash with plenty of soap Fexposed or concerned: Call a POISON or. skin irritation occurs: Get medical advice/ atten- fake off contaminated clothing and wash it before pillage. eye irritation persists: Call a POISON CENTER
		Storage:	
		P405 Store loc	ked up.
		Disposal:	
		P501 Dispose waste collection	of contents/container to appropriate hazardous n point.
Other	hazards		
No dat	ta available.		
SECTION	3. COMPOSITION/IN	NFORMATION ON ING	REDIENTS
Chemi	ical nature	: No data availat	ble.

Components

Chemical name	CAS-No.	Concentration (% w/w)
Phenol, polymer with formaldehyde, glycidyl ether	28064-14-4	>= 25 - < 50
Reaction product: bisphenol-A- (epichlorhydrin)-Epoxy resin (number average molecular weight <= 700)	25068-38-6	>= 20 - < 50
1,3-bis(2,3-epoxypropoxy)-2,2- dimethylpropane	17557-23-2	>= 20 - < 25
2,3-epoxypropyl o-tolyl ether	2210-79-9	>= 3 - < 5
trimethoxy(3- (oxiranylmethoxy)propyl)silane	2530-83-8	>= 0.3 - < 1

### **SECTION 4. FIRST AID MEASURES**

Version 1.0	Revision Date: 08/04/2020	SDS Number: 000000261099	Date of last issue: - Date of first issue: 08/04/2020
Gen	eral advice	Show this ma ance.	dangerous area. aterial safety data sheet to the doctor in attend- the victim unattended.
lf inh	aled	advice.	is, place in recovery position and seek medical persist, call a physician.
In ca	se of skin contact	: If skin irritation If on skin, rin	remove clothes.
In ca	se of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>	
If sw	allowed	: Clean mouth Induce vomit Keep respira Do not give r Never give a If symptoms	with water and drink afterwards plenty of water. ing immediately and call a physician. tory tract clear. nilk or alcoholic beverages. nything by mouth to an unconscious person. persist, call a physician. mmediately to hospital.
	t important symptoms effects, both acute and yed	: Causes skin May cause a Causes seric	irritation. n allergic skin reaction. us eye irritation.
Note	s to physician	: Treat sympto	causing genetic defects. Imatically.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Unsuitable extinguishing media		Water spray Foam Dry powder Carbon dioxide (CO2) High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Further information Special protective equipment for fire-fighters		Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Wear self-contained breathing apparatus for firefighting if nec- essary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid dust formation. Avoid breathing dust.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Versic 1.0	on	Revision Date: 08/04/2020	-	9S Number: 0000261099	Date of last issue: - Date of first issue: 08/04/2020
				If the product con respective author	taminates rivers and lakes or drains inform ities.
		s and materials for ment and cleaning up	:	Keep in suitable,	closed containers for disposal.
SECT	ION 7.	HANDLING AND ST	OR/	AGE	
		on protection against explosion	:	Product is not exp	plosive.
				Avoid dust format Provide appropria is formed.	ion. Ite exhaust ventilation at places where dust
А	Advice	on safe handling	:	Do not breathe va Avoid exposure - Avoid contact with For personal prote Smoking, eating a plication area. Dispose of rinse v regulations. Persons susceptil allergies, chronic	obtain special instructions before use.
C	Conditio	ons for safe storage	:	place. Containers which kept upright to pre Observe label pre	ecautions. ions / working materials must comply with
		information on stor- nditions	:		original container in a cool, dry, well- way from ignition sources, heat or flame. ct sunlight.
Ν	/lateria	ls to avoid	:	Observe VCI stor	age rules.
р F	perature	information on stor-	:	41 °F / 5 °C No data available	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	with	workplace	control	parameters

Engineering measures	:	No applicable information available.
Personal protective equipme	ent	
Respiratory protection	:	When workers are facing concentrations above the occupa-

Version 1.0	Revision Date: 08/04/2020	SDS Number: 000000261099	Date of last issue: - Date of first issue: 08/04/2020
		tional exposure respirators.	e limits they must use appropriate certified
Hand	protection	·	
Re	emarks		for a specific workplace should be discussed cers of the protective gloves.
Еуе р	protection	: Eye wash bottl Tightly fitting s	e with pure water
Skin a	and body protection	: Choose body p	protection according to the amount and con- e dangerous substance at the work place.
Prote	ctive measures	<ul> <li>Do not inhale gases/vapours/aerosols.</li> <li>Avoid contact with the skin, eyes and clothing.</li> <li>Avoid exposure - obtain special instructions before us</li> <li>Handle in accordance with good building materials hy</li> <li>and safety practice.</li> <li>Wearing of closed work clothing is recommended.</li> </ul>	
Hygie	ene measures	: When using do When using do	o not eat or drink.

Appearance	:	pasty
Color	:	black
Odor	:	resinous
Odor Threshold	:	No data available
рН	:	insoluble not applicable
Melting point	:	No applicable information available.
boiling temperature	:	> 248 °F / > 120 °C (1,013 hPa)
Flash point	:	212 °F / 100 °C
Evaporation rate	:	No applicable information available.
Flammability (solid, gas)	:	not highly flammable
Upper explosion limit / Upper flammability limit	:	No applicable information available.
Lower explosion limit / Lower flammability limit	:	No applicable information available.
Vapor pressure	:	not applicable
Relative vapor density	:	Heavier than air.

Vers 1.0	sion	Revision Date: 08/04/2020		S Number: 0000261099	Date of last issue: - Date of first issue: 08/04/2020		
	Relative	e density	:	No applicable info	ormation available.		
	Density		:	: approx. 1.28 g/cm3 (68 °F / 20 °C)			
	Bulk density Solubility(ies)		:	: approx. 1,800 - 2,400 kg/m3			
	Water solubility	:	emulsifiable (68 °F / 20 °C)				
	Solu	bility in other solvents	:	No applicable info	ormation available.		
	Partition octanol	n coefficient: n- /water	:	: not applicable			
		ition temperature	:	No applicable info	ormation available.		
	Decomposition temperature Viscosity Viscosity, dynamic Viscosity, kinematic		:	: No decomposition if stored and handled as pre- scribed/indicated.			
			:	No applicable info	ormation available.		
			:	: No applicable information available.			
	Explosi	ve properties	:	Not explosive Not explosive			
	Oxidizir	ng properties	:	Based on its strue as oxidizing.	ctural properties the product is not classified		
	Self-he	ating substances	:	No data available			
	Sublima	ation point	:	No applicable info	ormation available.		
	Molecu	lar weight	:	No data available	)		
	Metal corrosion rate		:	Corrosive effects	to metal are not anticipated.		

### SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	
Conditions to avoid Incompatible materials	:	See SDS section 7 - Handling and storage. Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

	08/04/2020	-	S Number: 0000261099	Date of last issue: - Date of first issue: 08/04/2020	
	11. TOXICOLOGICAL	_ INF(	ORMATION		
Acute	toxicity				
	assified based on avai	ilable	information.		
<u>Produ</u>	<u>ct:</u>				
Acute	oral toxicity	:	Remarks: No a	pplicable information available.	
Acute	inhalation toxicity	:	Remarks: No a	pplicable information available.	
Acute	dermal toxicity	:	Remarks: No a	pplicable information available.	
Skin c	orrosion/irritation				
Cause	s skin irritation.				
<u>Produ</u>	<u>ct:</u>				
Remai	rks	:	May cause skin	irritation and/or dermatitis.	
Seriou	ıs eye damage/eye i	rritati	on		
Cause	s serious eye irritatior	า.			
<u>Produ</u>	<u>ct:</u>				
Remai	rks	:	May cause irrev	versible eye damage.	
Respiratory or skin sensitization					
Skin s	ensitization				
May ca	ause an allergic skin r	eactio	on.		
Respi	ratory sensitization				
Not cla	assified based on avai	ilable	information.		
<u>Produ</u>	<u>ct:</u>				
Remai	rks	:	Causes sensitiz	zation.	
	cell mutagenicity				
Suspe	cted of causing genet	ic def	ects.		
	nogenicity				
	assified based on avai	llable	information.		
-	ductive toxicity				
	assified based on avai	llable	information.		
	-single exposure		information		
	assified based on avai	liable	information.		
STOT	-repeated exposure assified based on avail	ilahla	information		
Not de					
	ation toxicity	liable			

ersion .0	Revision Date: 08/04/2020		OS Number: 0000261099	Date of last issue: - Date of first issue: 08/04/2020	
Furth	er information				
<u>Produ</u> Rema		: No data available			
ECTION	12. ECOLOGICAL INFO	DRM	ATION		
Ecoto	oxicity				
<u>Produ</u>	uct:				
	<b>exicology Assessment</b> nic aquatic toxicity	:	Toxic to aquatic li	fe with long lasting effects.	
Persi	stence and degradabili	ty			
<u>Produ</u> Biode	<u>uct:</u> gradability	:	ingredients, the p	into consideration the properties of several roduct is estimated not to be readily biode- ng to OECD classification.	
Stabil	ity in water	:		oduct is slightly soluble in water. It can be rater by abiotic processes.	
Bioaccumulative potential					
<u>Produ</u> Bioac	<u>uct:</u> cumulation	:		e of the product's consistency and low wat ability is improbable.	
<u>Comp</u>	oonents:				
1,3-bi	s(2,3-epoxypropoxy)-2	, <b>2-</b> 0	dimethylpropane:		
	on coefficient: n- ol/water	:	Remarks: No data	a available.	
2,3-ер	ooxypropyl o-tolyl ethe	r:			
	on coefficient: n- ol/water	:	log Pow: 2.16 (77 Method: other (ca		
trime	thoxy(3-(oxiranylmetho	oxy)	)propyl)silane:		
	on coefficient: n- ol/water	:	log Pow: -0.915 Method: other (ca Remarks: unmea		
Mobil	ity in soil				
<u>Produ</u>	uct:				
	oution among environ- al compartments	:	phere from the wa	bstance will not evaporate into the atmos- ater surface. re to soil, adsorption to solid soil particles is	
			8 / 12		

Version 1.0	Revision Date: 08/04/2020	SDS Number: 000000261099	Date of last issue: - Date of first issue: 08/04/2020
		pected. Following ex	erefore contamination of groundwater is not ex- cposure to soil, adsorption to solid soil particles is refore contamination of groundwater is expected.
Othe	r adverse effects		
Prod Addit matic	ional ecological infor-	unprofessio Toxic to aqu	nental hazard cannot be excluded in the event of nal handling or disposal. latic life. latic life with long lasting effects.
SECTION	13. DISPOSAL CONS	IDERATIONS	
Dien	osal methods		
-	e from residues	cal or used Dispose of i	aminate ponds, waterways or ditches with chemi- container. n accordance with national, state and local regula-
Conta	aminated packaging	: Contaminate	harge into drains/surface waters/groundwater. ed packaging should be emptied as far as possible ed of in the same manner as the sub- uct.
SECTION	14. TRANSPORT INF	ORMATION	
Inter	national Regulations		
	<b>TDG</b> umber er shipping name	N.O.S. (BISPHENO	ENTALLY HAZARDOUS SUBSTANCE, SOLID, DL-A-EPICHLORHYDRIN RESINS M <=700, PRODUCT BISPHENOL-A)

		(BISPHENOL-A-EPICHLORHYDRIN RESINS M <=700, REACTION PRODUCT BISPHENOL-A)
Class	:	9
Subsidiary risk	:	EHSM
Packing group	:	III
Labels	:	9 (EHSM)
IATA-DGR		
UN/ID No.	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
		N.O.S.
		(BISPHENOL-A-EPICHLORHYDRIN RESINS M <=700,
		REACTION PRODUCT BISPHENOL-A)
Class	:	9
Subsidiary risk	:	EHSM
Packing group	:	III
Labels	:	Miscellaneous, Environmentally hazardous
Packing instruction (cargo	:	956
aircraft)		
Packing instruction (passen-	:	956

Version 1.0	Revision Date: 08/04/2020	SDS Number: 000000261099	Date of last issue: - Date of first issue: 08/04/2020	
-	-Code			
UN number Proper shipping name		<ul> <li>: UN 3077</li> <li>: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.</li> <li>(BISPHENOL-A-EPICHLORHYDRIN RESINS M &lt;=700, REACTION PRODUCT BISPHENOL-A)</li> </ul>		
Class Subsidiary risk Packing group Labels EmS Code Marine pollutant		: 9 : EHSM : III : 9 (EHSM) : F-A, S-F : yes	EHSM III 9 (EHSM) F-A, S-F	

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

#### 49 CFR

Not regulated as a dangerous good

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### California Prop. 65


WARNING: This product can expose you to chemicals including 1-chloro-2,3-epoxypropane, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### The ingredients of this product are reported in the following inventories:

TSCA :	On the inventory, or in compliance with the inventory
--------	---

#### **SECTION 16. OTHER INFORMATION**

Further information



### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/04/2020	00000261099	Date of first issue: 08/04/2020

Revision Date

: 08/04/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN