

MasterKure CC 300SB

Version 1.0 Revision Date: 07/15/2020 SDS Number: 000000261384 Date of last issue: -
Date of first issue: 07/15/2020

SECTION 1. IDENTIFICATION

Product name : MasterKure CC 300SB
Product code : 000000000051678751 000000000051678751

Manufacturer or supplier's details

Company name of supplier : Master Builders-Construction Systems
US, LLC
Address : 23700 CHAGRIN BLVD
Beachwood OH 44122
Emergency telephone : ChemTel: +1-813-248-0585 USA: +1-800-255-3924 Contract
Number MIS9240420

Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals
Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

FLAMMABLE LIQUIDS : 3
Skin corrosion/irritation : 2
Serious eye damage/eye irritation : Category 2A
Carcinogenicity : 2
Reproductive toxicity : 1B
Specific target organ toxicity - single exposure : 3 (Respiratory system)
Long-term (chronic) aquatic hazard : 2

GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.
H315 Causes skin irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H360D May damage the unborn child.
H411 Toxic to aquatic life with long lasting effects.

MasterKure CC 300SB

Version 1.0 Revision Date: 07/15/2020 SDS Number: 000000261384 Date of last issue: -
Date of first issue: 07/15/2020

Precautionary Statements

: **Prevention:**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P271 Use only outdoors or in a well-ventilated area.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take action to prevent static discharges.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust or mist.

P241 Use explosion-proof [electrical/ ventilating/ lighting/ .?] equipment.

P264 Wash face, hands and any exposed skin thoroughly after handling.

P242 Use only non-sparking tools.

P240 Ground and bond container and receiving equipment.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P311 If eye irritation persists: Call a POISON CENTER or doctor/physician.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P233 Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to appropriate hazardous waste collection point.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : No data available.

Components

MasterKure CC 300SB

Version 1.0 Revision Date: 07/15/2020 SDS Number: 000000261384 Date of last issue: -
 Date of first issue: 07/15/2020

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|------------|-----------------------|
| solvent naphtha | 64742-95-6 | >= 25 - < 50 |
| 1,2,4-trimethylbenzene | 95-63-6 | >= 25 - < 50 |
| mesitylene | 108-67-8 | >= 5 - < 7 |
| cumene | 98-82-8 | >= 1 - < 3 |
| xylene | 1330-20-7 | >= 1 - < 3 |
| Diethylbenzene | 25340-17-4 | >= 1 - < 3 |
| 1,2-benzenedicarboxylic acid; di-C6-8-branched alkylesters, C7-rich | 71888-89-6 | >= 1 - < 3 |
| ethylbenzene | 100-41-4 | >= 0.3 - < 1 |

SECTION 4. FIRST AID MEASURES

- General advice : First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing. Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
- If inhaled : Keep patient calm, remove to fresh air, seek medical attention. Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Immediately wash thoroughly with soap and water, seek medical attention. If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Suspected of causing cancer. May damage the unborn child.
- Notes to physician : Treat symptomatically.

MasterKure CC 300SB

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07/15/2020 | 000000261384 | Date of first issue: 07/15/2020 |

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Foam
Water spray
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the ap-

MasterKure CC 300SB

Version 1.0 Revision Date: 07/15/2020 SDS Number: 000000261384 Date of last issue: -
Date of first issue: 07/15/2020

- plication area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : no smoking
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Keep container tightly closed and in a well-ventilated place.
Keep away from heat.
Avoid all sources of ignition: heat, sparks, open flame.
- Materials to avoid : Segregate from foods and animal feeds.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------------------|---------|-------------------------------|--|--------------------------------------|
| 1,2,4-trimethylbenzene | 95-63-6 | TWA value | 25 ppm | ACGIHTLV |
| | | REL value | 25 ppm 125 mg/m3 | NIOSH |
| | | TWA value | 25 ppm 125 mg/m3 | 29 CFR 1910.1000 (Table Z-1-A) |
| | | TWA | 25 ppm 125 mg/m3 | NIOSH REL |
| | | TWA | 25 ppm | ACGIH |
| | | TWA | 25 ppm 125 mg/m3 | OSHA P0 |
| cumene | 98-82-8 | TWA value | 50 ppm | ACGIHTLV |
| | | REL value | 50 ppm 245 mg/m3 | NIOSH |
| | | PEL | 50 ppm 245 mg/m3 | 29 CFR 1910.1000 (Table Z-1) |
| | | TWA value | 50 ppm 245 mg/m3 | 29 CFR 1910.1000 (Table Z-1-A) |
| | | TWA | 50 ppm | ACGIH |
| | | TWA | 50 ppm 245 mg/m3 | NIOSH REL |
| | | TWA | 50 ppm 245 mg/m3 | OSHA Z-1 |

MasterKure CC 300SB

Version 1.0 Revision Date: 07/15/2020 SDS Number: 000000261384 Date of last issue: -
 Date of first issue: 07/15/2020

| | | | | |
|------------|-----------|------------|----------------------|--------------------------------------|
| | | TWA | 50 ppm 245 mg/m3 | OSHA P0 |
| mesitylene | 108-67-8 | TWA value | 25 ppm | ACGIHTLV |
| | | REL value | 25 ppm 125 mg/m3 | NIOSH |
| | | TWA value | 25 ppm 125 mg/m3 | 29 CFR 1910.1000 (Table Z-1-A) |
| | | TWA | 25 ppm 125 mg/m3 | NIOSH REL |
| | | TWA | 25 ppm | ACGIH |
| | | TWA | 25 ppm 125 mg/m3 | OSHA P0 |
| xylene | 1330-20-7 | TWA value | 100 ppm | ACGIHTLV |
| | | STEL value | 150 ppm | ACGIHTLV |
| | | PEL | 100 ppm 435 mg/m3 | 29 CFR 1910.1000 (Table Z-1) |
| | | TWA value | 100 ppm 435 mg/m3 | 29 CFR 1910.1000 (Table Z-1-A) |
| | | STEL value | 150 ppm 655 mg/m3 | 29 CFR 1910.1000 (Table Z-1-A) |
| | | REL value | 100 ppm 435 mg/m3 | NIOSH |
| | | STEL value | 150 ppm 655 mg/m3 | NIOSH |
| | | TWA | 100 ppm 435 mg/m3 | OSHA Z-1 |
| | | TWA | 100 ppm | ACGIH |
| | | STEL | 150 ppm | ACGIH |
| | | STEL | 150 ppm 655 mg/m3 | OSHA P0 |
| | | TWA | 100 ppm 435 mg/m3 | OSHA P0 |

Engineering measures : No applicable information available.

Personal protective equipment

Respiratory protection : Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Avoid inhalation of dusts/mists/vapours.
Avoid contact with the skin, eyes and clothing.

MasterKure CC 300SB

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07/15/2020 | 000000261384 | Date of first issue: 07/15/2020 |

Hygiene measures : Avoid prolonged and/or repeated contact with the skin.
Handle in accordance with good building materials hygiene and safety practice.
: When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|--|
| Appearance | : liquid |
| Color | : clear |
| pH | : not applicable |
| Boiling point | : No applicable information available. |
| Flash point | : 100.00 °F / 37.78 °C |
| Evaporation rate | : No applicable information available. |
| Flammability (solid, gas) | : not determined |
| Upper explosion limit / Upper flammability limit | : No applicable information available. |
| Lower explosion limit / Lower flammability limit | : No applicable information available. |
| Vapor pressure | : No data available |
| Relative vapor density | : Heavier than air. |
| Relative density | : 0.91 |
| Density | : 0.91 g/cm ³ (68 °F / 20 °C) |
| Bulk density | : not applicable |
| Solubility(ies) | |
| Water solubility | : slightly soluble |
| Solubility in other solvents | : No applicable information available. |
| Partition coefficient: n-octanol/water | : No data available. |
| Autoignition temperature | : No data available |
| Decomposition temperature | : Vapors may form explosive mixture with air. No decomposition if stored and handled as prescribed/indicated. |
| Viscosity | |
| Viscosity, dynamic | : No data available. |

MasterKure CC 300SB

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07/15/2020 | 000000261384 | Date of first issue: 07/15/2020 |

| | | |
|----------------------|---|--|
| Viscosity, kinematic | : | 71 mm ² /s (104 °F / 40 °C) |
| Explosive properties | : | Not explosive Not explosive |
| Oxidizing properties | : | Based on its structural properties the product is not classified as oxidizing. |
| Sublimation point | : | No applicable information available. |
| Molecular weight | : | No data available. |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|--|
| Reactivity | : | No decomposition if stored and applied as directed. |
| Chemical stability | : | No decomposition if stored and applied as directed. |
| Possibility of hazardous reactions | : | No decomposition if stored and applied as directed. Vapors may form explosive mixture with air. |
| Conditions to avoid | : | Heat, flames and sparks. |
| Incompatible materials | : | Strong oxidizing agents |
| Hazardous decomposition products | : | No hazardous decomposition products if stored and handled as prescribed/indicated. |

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

| | | |
|---------------------------|---|---|
| Acute oral toxicity | : | Remarks: No applicable information available. |
| Acute inhalation toxicity | : | Remarks: No applicable information available. |
| Acute dermal toxicity | : | Remarks: No applicable information available. |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

MasterKure CC 300SB

Version 1.0 Revision Date: 07/15/2020 SDS Number: 000000261384 Date of last issue: -
Date of first issue: 07/15/2020

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May damage the unborn child.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information**Product:**

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause narcotic effects.
Solvents may degrease the skin.
The product has not been tested. The statement has been derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:****Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential**Components:****solvent naphtha:**

Partition coefficient: n-octanol/water : log Pow: 3.17
Method: other (calculated)
GLP: no

1,2,4-trimethylbenzene:

Partition coefficient: n-octanol/water : log Pow: 3.63 (77 °F / 25 °C)
Method: other (calculated)

mesitylene:

Partition coefficient: n- : log Pow: 3.42

MasterKure CC 300SB

| | | | |
|----------------|------------------------------|-----------------------------|--|
| Version 1.0 | Revision Date: 07/15/2020 | SDS Number: 000000261384 | Date of last issue: - Date of first issue: 07/15/2020 |
|----------------|------------------------------|-----------------------------|--|

octanol/water

Method: other (measured)

cumene:Partition coefficient: n-
octanol/water

: log Pow: 3.55 (73 °F / 23 °C)
Method: Partition coefficient (n-octanol/water), Shake-flask
method

xylene:Partition coefficient: n-
octanol/water

: log Pow: 3.12 - 3.20 (77 °F / 25 °C)
Method: other (calculated)
GLP: no
Remarks: Information taken from reference works and the
literature.

1,2-benzenedicarboxylic acid; di-C6-8-branched alkylesters, C7-rich:Partition coefficient: n-
octanol/water

: Remarks: No data available.

ethylbenzene:Partition coefficient: n-
octanol/water

: Pow: 4,170 (68 °F / 20 °C)
log Pow: 3.6 (68 °F / 20 °C)
pH: 7.8
Method: Partition coefficient
GLP: yes

Mobility in soil

No data available

Other adverse effects**Product:**Additional ecological infor-
mation

: An environmental hazard cannot be excluded in the event of
unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues

: Do not contaminate ponds, waterways or ditches with chemi-
cal or used container.
Dispose of in accordance with national, state and local regula-
tions.

Contaminated packaging

: Do not discharge into drains/surface waters/groundwater.
Contaminated packaging should be emptied as far as possible
and disposed of in the same manner as the sub-
stance/product.

SECTION 14. TRANSPORT INFORMATION**International Regulations**

MasterKure CC 300SB

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07/15/2020 | 000000261384 | Date of first issue: 07/15/2020 |

UNRTDG

UN number : UN 1263
 Proper shipping name : PAINT
 Class : 3
 Packing group : III
 Labels : 3

IATA-DGR

UN/ID No. : UN 1263
 Proper shipping name : PAINT
 Class : 3
 Packing group : III
 Labels : Flammable Liquids
 Packing instruction (cargo aircraft) : 366
 Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1263
 Proper shipping name : PAINT
 Class : 3
 Packing group : III
 Labels : 3
 EmS Code : F-E, S-E
 Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

UN/ID/NA number : UN 1263
 Proper shipping name : PAINT, COMBUSTIBLE LIQUID
 Class : C
 Packing group : III
 Labels : Combustible Liquid
 ERG Code : 128
 Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

1,2,4- 95-63-6
 trimethylbenzene

cumene 98-82-8

MasterKure CC 300SB

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07/15/2020 | 000000261384 | Date of first issue: 07/15/2020 |

| | |
|--------|-----------|
| xylene | 1330-20-7 |
|--------|-----------|

| | |
|--------------|----------|
| ethylbenzene | 100-41-4 |
|--------------|----------|

US State Regulations**Pennsylvania Right To Know**

| | |
|--|------------|
| 1,2,4-trimethylbenzene | 95-63-6 |
| cumene | 98-82-8 |
| mesitylene | 108-67-8 |
| xylene | 1330-20-7 |
| bis(2-propylheptyl) phthalate | 53306-54-0 |
| Solvent naphtha (petroleum), light arom. | 64742-95-6 |

New Jersey Right To Know

| | |
|--|------------|
| 1,2,4-trimethylbenzene | 95-63-6 |
| xylene | 1330-20-7 |
| Diethylbenzene | 25340-17-4 |
| Solvent naphtha (petroleum), light arom. | 64742-95-6 |
| ethylbenzene | 100-41-4 |
| styrene | 100-42-5 |
| cumene | 98-82-8 |

California Prop. 65

WARNING: This product can expose you to chemicals including cumene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:


TSCA : All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

SECTION 16. OTHER INFORMATION**Further information**

MasterKure CC 300SB

Version 1.0 Revision Date: 07/15/2020 SDS Number: 000000261384 Date of last issue: -
Date of first issue: 07/15/2020

NFPA 704:



HMIS® IV:

| | | |
|-----------------|--|--|
| HEALTH | | |
| FLAMMABILITY | | |
| PHYSICAL HAZARD | | |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

| | |
|---|---|
| 29 CFR 1910.1000 (Table Z-1-A) | : OSHA - Table Z-1-A (29 CFR 1910.1000) |
| 29 CFR 1910.1000 (Table Z-1) | : OSHA - Table Z-1 (Limits for Air Contaminants) 29 CFR 1910.1000 |
| ACGIH | : USA. ACGIH Threshold Limit Values (TLV) |
| ACGIHTLV | : American Conference of Governmental Industrial Hygienists - threshold limit values (US) |
| NIOSH | : NIOSH Pocket Guide to Chemical Hazards (US) |
| NIOSH REL | : USA. NIOSH Recommended Exposure Limits |
| OSHA P0 | : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| OSHA Z-1 | : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| 29 CFR 1910.1000 (Table Z-1-A) / STEL value | : Short Term Exposure Limit (STEL): |
| 29 CFR 1910.1000 (Table Z-1-A) / TWA value | : Time Weighted Average (TWA): |
| 29 CFR 1910.1000 (Table Z-1) / PEL | : Permissible exposure limit |
| ACGIH / TWA | : 8-hour, time-weighted average |
| ACGIH / STEL | : Short-term exposure limit |
| ACGIHTLV / STEL value | : Short Term Exposure Limit (STEL): |
| ACGIHTLV / TWA value | : Time Weighted Average (TWA): |
| NIOSH / REL value | : Recommended exposure limit (REL): |
| NIOSH / STEL value | : Short Term Exposure Limit (STEL): |
| NIOSH REL / TWA | : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| OSHA P0 / TWA | : 8-hour time weighted average |
| OSHA P0 / STEL | : Short-term exposure limit |
| OSHA Z-1 / TWA | : 8-hour time weighted average |

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensa-

MasterKure CC 300SB

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07/15/2020 | 000000261384 | Date of first issue: 07/15/2020 |

tion, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 07/15/2020

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE

MasterKure CC 300SB

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: - |
| 1.0 | 07/15/2020 | 000000261384 | Date of first issue: 07/15/2020 |

CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

US / EN