Safety Data Sheet

Section 1. Identification

GHS product Identifier Other means of identification	650 Sheet Membrane Not available		
Relevant identified used of the substance or mixtures and uses advised against Polymer modified bitumen membrane used as a post concrete self-adhesive water proofing membrane/vapor retarder that virtually eliminates water and vapor transmission through concrete slabs.			
Supplier's details	Polyguard Products, Inc. 4101 South Interstate 45 Ennis, TX 75119 Tel: (214) 515-5000		
Emergency telephone number) with hours of operation)	CHEMTREC, US 1-800-424-9300 International 1-703-527-3887 (24/7)		

Section 2. Hazards Identification

OSHA/HCS status	While this material is not considered hazardous by the OSHA Hazardous Communications Standard (49CFR1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	Not classified

This product is manufactured as an article under the United States Hazard Communication System and is exempted from the regulatory requirements under HCS.

GHS label elements	
Signal word	No signal word
Hazard statement	No known significant effects or critical hazards.
Precautionary statements	
Prevention	Not applicable
Response	Not applicable
Storage	Not applicable
Disposal	Not applicable
Hazards not otherwise classified	None known

Section 3. Composition/Information on Ingredients

Substance/Mixture	Mixture
Other means of identification	Not available

Ingredient name	%	CAS #
Asphalts	60-80	8052-42-4
Distillates(petroleum), petroleum residues vaccum	60-80	68955-27-1
Hydrogen Sulfide	0.001-0.01	7783-06-4
Limestone	15 - 20	1317-65-3
Crystalline Silica, quartz (inpurity)	0.5 – 1.5	14808-60-7

The exact percentage (concentration) in the composition has been withheld as a trade secret.

Occupational exposure limits, if available are listed in section 8.

None of the components of this article are in a respirable state.

Section 4. First Aid Measures

Description of necessary first aid				
measures.				
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if symptoms occur.			
Inhalation	Because of the nature of this product, inhalation is not a route of exposure.			
Skin contact	Material is in a solid form. If skin contact, wash area with soap and water. Get medical attention if skin irritation occurs.			
Ingestion	Ingestion is not a route of exposure.			
Most important symptoms/effects, acute	e and delayed			
Potential acute health effects				
Eye contact	No known significant effects or critical hazards			
Inhalation	No known significant effects or critical hazards			
Skin contact	No known significant effects or critical hazards			
Ingestion	No known significant effects or critical hazards			
Over-exposure signs/symptoms				
Eye contact	No known significant effects or critical hazards			
Inhalation	No known significant effects or critical hazards			
Skin contact	No known significant effects or critical hazards			
Ingestion	No known significant effects or critical hazards			
Indication of immediate medical attention	on and special treatment needed, if necessary.			
Notes to physician:	Treat symptomatically.			
Specific treatments	No specific treatment			
Protection of first aiders	No action shall be taken involving any personal risk or without suitable training.			

Section 5. Fire-Fighting Measures

Extinguishing media	
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known
Specific hazards arising from the	No specific fire or explosion hazard.
chemical	
Hazardous thermal decomposition	Decomposition products may include the following materials:
products	Carbon Dioxide
	Carbon Monoxide
	Sulfur oxides
	Low MW hydrocarbons
Special protective equipment	Fire-fighters should wear appropriate protective equipment and self-contained breathing
	apparatus (SCBA) with a full-face piece operated in a positive pressure mode.
Special protective actions for fire	Promptly isolate the scene by removing all persons from the vicinity of the incident is there
fighters	is a fire. No action shall be taken involving any personal risks or without suitable training.

Section 6. Accidental Release Measures

Personal precautions, protective equ	uipment and emergency procedures.			
For non emergency personal Put on appropriate personal protective equipment.				
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel."			
Enviromental precautions	Material will not spill.			
Methods and materials for containn	nent and cleaning up			
Spill	Due to the physical state of this material, spills are not possible.			
Section 7. Handling and S	Storage			
Precautions for safe handling				
Protective measures	Put on appropriate personal protective equipment (see Section 8).			
Advice on general occupational	Eating, drinking and smoking should be prohibited in areas where material is handled,			
hygiene	stored and processed. Workers should wash hands and face before eating, drinking and smoking. See section 8 for additional information on hygiene measures.			

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry cool and well-ventilated area away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready to use. Do not store in unlabeled containers.

Section 8. Exposure Controls/Personal Protection

Occupational exposure limits

Ingredient name	Exposure limits		
Asphalt	NIOSH REL (United States, 10/2016)		
	CEIL: 5 mg/m ³ 15 minutes. Form: fume		
	ACGIH TLV (United States, 3/2019)		
	TWA: 0.5 mg/m ³ , (as benzene soluble aerosol) 8 hours. Form: inhalable fraction.		
Distillates(petroleum), petroleum	None		
residues vaccum			
Hydrogen Sulfide	ACGIH TLV (United States, 3/2018)		
5 6	TWA: 1 ppm 8 hours		
	STEL: 5 ppm 15 minutes		
	OSHA PEL Z2 (United States, 2/2013)		
	CEIL:20 ppm		
	AMP: 50 ppm 10 minutes.		
	NIOSH REL (United States, 10/2016)		
	CEIL: 15 mg/m ³ 10 minutes.		
Limestone	NIOSH REL (United States, 10/2016)		
	TWA: 10 mg/m ³ (total) TWA 5 mg/m ³ (respirable)		
	OSHA PEL (United States, 2/2013)		
	TWA: 15 mg/m ³ (total) TWA 5 mg/m3 (respirable)		
Crystalline Silica, quartz (inpurity)	NIOSH REL (United States, 10/2016)		
	Ca TWA: 0.05 mg/m ³		

Polyguard Products, Inc.	Tel: 214-515-5000 www.polyguardproducts.com	3/7
--------------------------	--	-----

Section 8. Exposure Controls/Personal Protection

Appropriate engineering controls	No special ventilation requirements. Good ventilation should be sufficient to control worker exposure to airborne contaminants.	
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.	
Hygiene measure	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	Safety eyewear complying with an approved standard should be used when risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases and dusts.	
Skin Protection		
Hand protection	Chemical- resistant, imprevious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.	
Body protection	Personal protective equipment for the body should be selected based on the task being preformed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being preformed and the risks involved and should be approved by a specialist before handling this product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.	

Section 9. Physical and Chemical Properties

Appearance **Physical state** Solid Color Black/white backing **Odor Odor threshold** pH **Melting point Boiling point Flash Point Evaporation rate:** Flammability (solid, gas) Lower & upper explosive (flammable) limits Vapor density Vapor pressure **Relative density** 1.09 **Solubility** Partition coefficient: n- octanol/water **Auto- ignition temperature Decomposition temperature** Viscosity VOC 0 g/l

Asphaltic(slight) Not available Not applicable Not available Not applicable Not determined Not applicable Not applicable Not applicable Not applicable Not applicable Insoluble in water Not available Not applicable Not applicable Not applicable

Section 10. Stability and Reactivity

Reactivity

Chemical stability Possibility of hazardous reactions

Conditions to avoid: Incompatible materials

Hazardous decomposition products

No specific test data related to reactivity available for this product or its ingredients. This product is stable. Under normal conditions of storage and use, hazardous reaction will not occur. No specific data. Reactive or incompatible with the following materials: Oxidizing materials Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological Information

Information on toxicological effects Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Asphalt	LD50 Oral	Rat	>5000 mg/kg	-
Hydrogen Sulfide	LC50 Inhalation Gas	Rat	444 ppm	4 hours
	LC50 Inhalation Vapor	Rat	700 mg/m^3	4 hours
Limestone	LD50 Oral	Rat	6450 mg/kg	-
Crystalline Silica, quartz	LD50 Oral	Rat Mouse	500 mg/kg	-
(inpurity)				

Irritation/Corrosion Sensitization Mutagenicity Carcinogenicity Classification There is no data available There is no data available There is no data available

Product/ingredient name	OSHA	IARC	NTP
Asphalt	-	2B	-
Crystalline Silica, quartz (inpurity)	-	1	-

Reproductive toxicity	There is no data available
<u>Teratogenicity</u>	There is no data available
<u>Specific target organ toxicity (single exposure)</u>	There is no data available
Specific target organ toxicity (repeated exposure)	There is no data available
Aspiration hazard	There is no data available
Information on the likely routes of exposure	Routes of entry anticipated: dermal contact
	Routes of entry not anticipated: Oral, inhalation, ingestion
Potential acute health effects	
Eye contact	No known significant effects or critical hazards
Inhalation	No known significant effects or critical hazards
Skin contact	No known significant effects or critical hazards
Ingestion	No known significant effects or critical hazards
Symptoms related to the physical, chemical and tox	icological characteristics
Eye contact	No known significant effects or critical hazards
Inhalation	No known significant effects or critical hazards
Skin contact	No known significant effects or critical hazards
Ingestion	No known significant effects or critical hazards

Polyguard Products, Inc. Tel: 214-515-5000 5/7

Section 11. Toxicological Information

Delayed and immediate effects and chronic effects	from short- and long-term exposure
Short term exposure	
Potential immediate effects	No known significant effects or critical hazards
Potential delayed effects	No known significant effects or critical hazards
Long term exposure	-
Potential immediate effects	No known significant effects or critical hazards
Potential delayed effects	No known significant effects or critical hazards
Potential chronic health effects	
General	No known significant effects or critical hazards
Carcinogenicity	No known significant effects or critical hazards
Mutagenicity	No known significant effects or critical hazards
Teratogenicity	No known significant effects or critical hazards
Developmental effects	No known significant effects or critical hazards
Fertility effects	No known significant effects or critical hazards
Numerical measures of toxicity	
Acute toxicity estimates	There is no data available

Section 12. Ecological Information

Toxicity

Product/ingredient name	Result	Species	Exposure
Hydrogen Sulfide	Acute EC50 62 µg/L Fresh water	Crustaceans-Gammarus pseudolimnaeus	2 days
	Acute LC50 2 μ g/L Fresh water	Fish- Coregonus clupeaformis- Yolk	96 hours
		Sac fry	

Persistence and degradability	There is no data available
Bioaccumulative potential	There is no data available
<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	There is no data available.

Other adverse effects

No known significant effects or critical hazards

Section 13. Disposal Considerations

Disposal methodsThe generation of waste should be avoided or minimized wherever possible. Disposal of this product,
solutions and any by-products should comply with the requirements of environmental protection and
waste disposal legislation and any regional local authority requirements. Empty containers or liners
may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Section 14. Transportation Information

AERG: Not applicable Regulatory Information: DOT/TDG/IMDG/IATA Not regulated

Polyguard Products, Inc.

Tel: 214-515-5000 www.polyguardproducts.com

Section 15. Regulatory Information

U.S. Federal regulations:	TSCA 8(a) CDR Exempt/Partial exemption: Not determined United States inventory (TSCA 8 b): all components are listed or exempted
Clean Air Act Section 112 (b)	Not listed
Hazardous air pollutants	
(HAPs)	
Clean Air Act (CAA) Section	Not listed
602 Class I Substances	
Clean Air Act (CAA) Section	Not listed
602 Class II Substances	
DEA List I Chemicals	Not listed
(Precursor chemicals)	
DEA List II Chemicals	Not listed
(Essential Chemicals)	
SARA 302/304	
Composition/information on in	<u>gredients</u>
SARA 304 RQ	Not applicable
SARA 311/312	Not applicable
SARA 313	Not applicable
State regulations	
Massachusetts	The following components are listed: Petroleum asphalt
New Jersey	The following components are listed: Petroleum asphalt
New York	None of the components are listed
Pennsylvania	The following components are listed: Petroleum asphalt
California Prop.65	None of the components are listed on the Prob 65 list dated 1-3-2020.

16. Other Information

Date of revision Date of previous issue Revisions	3-20-2020 12-17-2014 Change Mfg. Address to 4101 S. I-45. Change phone number to 214-515-5000 from 800 number. Update product composition information
Version	5
Prepared by	C. Rogalski

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.