SAFETY DATA SHEET



Issuing Date 27-Aug-2014 Revision date 03-Jul-2019

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name PROSOCO R-Guard® AirDam®

Other means of identification

Product Code(s) 70440

Recommended use of the chemical and restrictions on use

Recommended use
Uses advised against
Restricted to professional users.
No information available

Details of the supplier of the safety data sheet

Manufacturer Address

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Reproductive toxicity Category 1B

Label elements

Emergency Overview

Danger

Hazard statements

May damage fertility or the unborn child



Appearance viscous Physical state paste Odor Mild

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

· May be harmful in contact with skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Precipitated Calcium Carbonate	471-34-1	15 - 40	*
Polypropylene glycol	25322-69-4	10 - 30	*
Stearic acid	57-11-4	1 - 5	*
Limestone	1317-65-3	1 - 5	*
Titanium dioxide	13463-67-7	1 - 5	*
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	1 - 5	*
Dibutyltin Diacetyldiacetonate	22673-19-4	0.1 - 1	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice If symptoms persist, call a physician. Do not get in eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin Contact Wipe off material with a dry cloth. Wash with soap and water. Consult a physician if

necessary.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. If symptoms persist, call a physician.

Self-protection of the first aiderUse personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms May be harmful if swallowed. May cause irritation.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Revision date 03-Jul-2019

Small Fire Dry chemical or CO2. Foam.

Large Fire Water spray or fog. Foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

None known.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system. Prevent entry into waterways,

sewers, basements or confined areas. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

Incompatible materials Acids. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Precipitated Calcium Carbonate 471-34-1			TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Limestone		TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ total dust
1317-65-3		TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m ³ respirable dust
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m ³

Dibutyltin Diacetyldiacetonate	STEL: 0.2 mg/m ³ Sn	TWA: 0.1 mg/m ³ Sn	IDLH: 25 mg/m ³ Sn
22673-19-4	TWA: 0.1 mg/m ³ Sn	(vacated) TWA: 0.1 mg/m ³ Sn	TWA: 0.1 mg/m ³ except
	S*	(vacated) S*	Cyhexatin Sn

NIOSH IDLH Immediately Dangerous to Life or Health

Other information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering ControlsNone under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Odor

Mild

provided in accordance with current local regulations.

General Hygiene Considerations Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or

clothing. Take off all contaminated clothing and wash it before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state paste Appearance viscous

Color white Odor threshold No information available

PropertyValuesRemarks • MethodpHNot ApplicableNot Applicable

Melting point / freezing point °F
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Vapor density No inform Specific gravity 1.3 - 1.4 insoluble

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No information available

Explosive properties Not Applicable
Oxidizing properties Not Applicable

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Acids. Incompatible with oxidizing agents.

Hazardous decomposition products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information May be harmful by inhalation, ingestion, or skin absorption

Inhalation Avoid breathing vapors or mists.

Eye contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Ingestion Do not taste or swallow.

Component Information

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Precipitated Calcium Carbonate 471-34-1	= 6450 mg/kg (Rat)		
Polypropylene glycol 25322-69-4	> 2 g/kg (Rat)		
Stearic acid 57-11-4		> 5 g/kg(Rabbit)	
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Aminoethyl aminopropyl trimethoxy silane 1760-24-3	= 7460 μL/kg (Rat)		

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause irritation. May be harmful if swallowed.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. *

Titanium Dioxide has been associated with lung cancer where the exposure is to the respirable, dry powder form of the material. However, due to the physical nature of this

product (cured and uncured), exposures are not expected.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	-	Group 2B	=	X
13463-67-7				

IARC (International Agency for Research on Cancer)

Revision date 03-Jul-2019

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity May damage fertility or the unborn child.

STOT - single exposureSTOT - repeated exposure
No information available.
No information available.

Target organ effects Eyes, lungs, Respiratory system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5147 mg/kg
ATEmix (dermal) 2473 mg/kg mg/l
ATEmix (inhalation-dust/mist) 489.5 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

DOT Not Regulated for all modes of transportation.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Methanol - 67-56-1	Developmental	

U.S. State Right-to-Know Regulations

Chemical	name	New Jersey	Massachusetts	Pennsylvania
Limesto	ne	Χ	X	X
1317-6	5-3			
Titanium o	ioxide	Х	X	X
13463-6	57-7			

16. OTHER INFORMATION

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and chemical

properties -

HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

Issuing Date 27-Aug-2014 **Revision date** 27-Aug-2019

Revision Note

SDS sections updated 11 15

Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other

material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet