

# SAFETY DATA SHEET



**PROSOCO**  
Revision Number 1.01

Issuing Date 16-Jan-2015

Revision date 12-Dec-2018

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** Sure Klean® 800 Stain Remover

### Other means of identification

**Product Code(s)** 10080

**UN number** UN2922

### Recommended use of the chemical and restrictions on use

**Recommended use** Restricted to professional users.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

PROSOCO, Inc.  
3741 Greenway Circle  
Lawrence, Kansas 66046

#### **Emergency telephone number**

**8:00 AM – 5:00 PM CST Monday-Friday** 785-865-4200  
**NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

## 2. HAZARDS IDENTIFICATION

### Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 2
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 3
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements

#### Emergency Overview

#### **Danger**

**Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment**

#### **Hazard statements**

Toxic if swallowed or if inhaled  
Fatal in contact with skin  
Causes severe skin burns and eye damage  
May cause damage to organs through prolonged or repeated exposure



**Appearance** clear

**Physical state** Liquid

**Odor** Irritating

**Precautionary Statements - Prevention**

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not get in eyes, on skin, or on clothing
- Wear protective gloves/protective clothing/eye protection/face protection
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray

**Precautionary Statements - Response**

- Immediately call a POISON CENTER or doctor/physician
- Specific treatment (see TREATMENT FOR HYDROFLUORIC ACID EXPOSURE on this label on this label)
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician
- Immediately call a POISON CENTER or doctor/physician
- Wash contaminated clothing before reuse
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- Immediately call a POISON CENTER or doctor/physician
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Rinse mouth
- Do NOT induce vomiting

**Precautionary Statements - Storage**

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

- Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

**Other information**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Sulfuric Acid	7664-93-9	5 - 10	*
Hydrogen Fluoride	7664-39-3	1 - 5	*
Polyethylene glycol octylphenyl ether	9036-19-5	1 - 5	*
Ethylene Glycol	107-21-1	1 - 5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES**

**Description of first aid measures**

<b>General advice</b>	Immediate medical attention is required.
<b>Eye contact</b>	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Rinse the eyes with a calcium gluconate 1% solution.
<b>Skin Contact</b>	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves; continue to massage while repeatedly applying gel until 15 minutes after pain is relieved.
<b>Inhalation</b>	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
<b>Ingestion</b>	Immediate medical attention is required. Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
<b>Self-protection of the first aider</b>	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	The product causes burns of eyes, skin and mucous membranes. Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.
---------------------------	---

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.
-----------------------------	---

**Environmental precautions**

<b>Environmental precautions</b>	Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent product from entering drains. See Section 12 for
----------------------------------	---

additional ecological information.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

**Incompatible materials** Incompatible with strong acids and bases. Metals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric Acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup> thoracic fraction	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>
Hydrogen Fluoride 7664-39-3	TWA: 0.5 ppm F TWA: 2.5 mg/m <sup>3</sup> F S* Ceiling: 2 ppm F	TWA: 3 ppm F TWA: 2.5 mg/m <sup>3</sup> F TWA: 2.5 mg/m <sup>3</sup> dust (vacated) TWA: 3 ppm F (vacated) TWA: 2.5 mg/m <sup>3</sup> (vacated) STEL: 6 ppm F	IDLH: 30 ppm Ceiling: 6 ppm 15 min Ceiling: 5 mg/m <sup>3</sup> 15 min TWA: 3 ppm TWA: 2.5 mg/m <sup>3</sup>
Ethylene Glycol 107-21-1	Ceiling: 100 mg/m <sup>3</sup> aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m <sup>3</sup>	

NIOSH IDLH *Immediately Dangerous to Life or Health*

**Other information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

**Engineering Controls** Showers  
Eyewash stations  
Ventilation systems.  
Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces. Application equipment, scaffolding, swing stages and support systems must be constructed of acid resistant materials.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

**Respiratory protection**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations**

Avoid contact with skin, eyes or clothing. When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Regular cleaning of equipment, work area and clothing is recommended. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Irritating
<b>Appearance</b>	clear	<b>Odor threshold</b>	No information available
<b>Color</b>	colorless		
<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>	
<b>pH</b>	1.4		
<b>Melting point / freezing point °F</b>	No information available		
<b>Boiling point / boiling range</b>	No information available		
<b>Flash point</b>		Not Applicable	
<b>Evaporation rate</b>	No information available		
<b>Flammability (solid, gas)</b>	No information available		
<b>Flammability Limit in Air</b>			
<b>Upper flammability limit:</b>	No information available		
<b>Lower flammability limit:</b>	No information available		
<b>Vapor pressure</b>	No information available		
<b>Vapor density</b>	No information available		
<b>Specific gravity</b>	1.056		
<b>Water solubility</b>	Soluble in water		
<b>Solubility in other solvents</b>	No information available		
<b>Partition coefficient</b>	No information available		
<b>Autoignition temperature</b>	No information available		
<b>Decomposition temperature</b>	No information available		
<b>Kinematic viscosity</b>	No information available		
<b>Dynamic viscosity</b>	No information available		
<b>Explosive properties</b>	Not Applicable		
<b>Oxidizing properties</b>	Not Applicable		

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

None under normal processing.

**Conditions to avoid**

None known based on information supplied.

**Incompatible materials**

Incompatible with strong acids and bases. Metals.

**Hazardous decomposition products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

<b>Product Information</b>	Toxic if swallowed Fatal in contact with skin Toxic by inhalation Corrosive
<b>Inhalation</b>	Avoid breathing vapors or mists. May be fatal if inhaled.
<b>Eye contact</b>	Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin Contact</b>	Contact causes severe skin irritation and possible burns. May be absorbed through the skin in harmful amounts. Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment.
<b>Ingestion</b>	May be fatal if swallowed. Ingestion causes burns of the upper digestive and respiratory tracts.

**Component Information**

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )		
Sulfuric Acid 7664-93-9	= 2140 mg/kg ( Rat )		= 510 mg/m <sup>3</sup> ( Rat ) 2 h = 347 ppm ( Rat ) 1 h
Hydrogen Fluoride 7664-39-3			= 850 mg/m <sup>3</sup> ( Rat ) 1 h = 1276 ppm ( Rat ) 1 h
Polyethylene glycol octylphenyl ether 9036-19-5	= 4190 mg/kg ( Rat )		
Ethylene Glycol 107-21-1	= 4000 mg/kg ( Rat )	= 9530 µL/kg ( Rabbit )	

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Symptoms</b>	The product causes burns of eyes, skin and mucous membranes. Burns from this product may not be immediately painful or evident. Exposures require fluoride specific treatment.
-----------------	--

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	Causes damage to organs through prolonged or repeated exposure.
<b>Chronic toxicity</b>	Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.
<b>Target organ effects</b>	central nervous system, Eyes, Respiratory system, Skin, Teeth.
<b>Aspiration hazard</b>	Risk of serious damage to the lungs (by aspiration).

**Numerical measures of toxicity - Product Information****Unknown acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

<b>ATEmix (oral)</b>	130 mg/kg
<b>ATEmix (dermal)</b>	133 mg/kg
<b>ATEmix (inhalation-gas)</b>	12815 mg/l

ATEmix (inhalation-dust/mist) 0.9 mg/l  
 ATEmix (inhalation-vapor) 8.6 mg/l

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sulfuric Acid 7664-93-9	-	500: 96 h Brachydanio rerio mg/L LC50 static	-	29: 24 h Daphnia magna mg/L EC50
Hydrogen Fluoride 7664-39-3	-	660: 48 h Leuciscus idus mg/L LC50	-	270: 48 h Daphnia species mg/L EC50
Ethylene Glycol 107-21-1	6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50	41000: 96 h Oncorhynchus mykiss mg/L LC50 14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static	-	46300: 48 h Daphnia magna mg/L EC50

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

Chemical name	Partition coefficient
Hydrogen Fluoride 7664-39-3	-1.4
Ethylene Glycol 107-21-1	-1.93

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

**US EPA Waste Number** D002

**14. TRANSPORT INFORMATION**

**DOT** Regulated

**UN number** UN2922

**UN proper shipping name** Corrosive Liquid, Toxic, n.o.s. (Hydrofluoric and Sulfuric Acid)

**Transport hazard class(es)** 8

**Subsidiary class** (6.1)

Packing group

II

## 15. REGULATORY INFORMATION

### International Inventories

TSCA Complies

DSL/NDSL Complies

#### Legend:

Complies TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Sulfuric Acid - 7664-93-9	7664-93-9	5 - 10	1.0
Hydrogen Fluoride - 7664-39-3	7664-39-3	1 - 5	1.0
Ethylene Glycol - 107-21-1	107-21-1	1 - 5	1.0

#### **SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric Acid 7664-93-9	1000 lb	-	-	X
Hydrogen Fluoride 7664-39-3	100 lb	-	-	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric Acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Hydrogen Fluoride 7664-39-3	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ
Ethylene Glycol 107-21-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

### US State Regulations

#### **California Proposition 65**

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric Acid 7664-93-9	X	X	X
Ethylene Glycol 107-21-1	X	X	X

**16. OTHER INFORMATION**

<b>NFPA</b>	Health hazards 3	Flammability 0	Instability 0	Physical and chemical properties -
<b>HMIS</b>	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X

**Prepared By** Regulatory Department

**Issuing Date** 16-Jan-2015

**Revision date** 12-Dec-2018

**Revision Note**

SDS sections updated 4 6 7 8 11 15

**Disclaimer**

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**