Franklin International

Safety Data Sheet

Titebond II Extend

Section 1. Identification

GHS product identifier Physical state Address	:	Titebond II Extend Liquid. Franklin International 2020 Bruck Street Columbus OH 43207
Contact person	:	Franklin Technical Services
Telephone	1	(800) 877-4583
In case of emergency	:	Franklin Security (614) 445-1300
e-mail address of person responsible for this SDS	:	SDS@FranklinInternational.com
Reference number	:	4295
Product code	:	4138
Date of revision	:	8/6/2018
Safety Data Sheets are available online at	:	www.FranklinInternational.com
Chemtrec (24 Hour)	:	(800) 424 - 9300
Chemtrec International	:	(703) 527 - 3887
Chemical family	:	Adhesive.

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.		
Classification of the substance or mixture	: Not classified.		
GHS label elements			
Signal word	: No signal word.		
Hazard statements	No known significant effects or critical hazards.		
Precautionary statements			
General	 Refer to safety data sheet before use. Avoid contact with skin and clothing. Wash thoroughly after handling. Get medical attention if needed. Contact Franklin International Technical Service for additional information at 1-800-877-4583. 		
Prevention	: Not applicable.		
Response	: Not applicable.		
Storage	: Not applicable.		
Disposal	: Not applicable.		

1/10

Section 2. Hazards identification

Hazards not otherwise classified

: None known.

: Mixture

Section 3. Composition/information on ingredients

Substance/mixture

Ingredient name	%	CAS number
urea	≤3	57-13-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.	I					
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. medical attention if needed. In case of inhalation of decomposition products in a fire symptoms may be delayed. The exposed person may need to be kept under medica surveillance for 48 hours.) ,					
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if needed.						
Ingestion	Wash out mouth with water. Remove victim to fresh air and keep at rest in a positio comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if needed.						
Most important symptoms/	cts, acute and delayed						
Potential acute health effe							
Eye contact	This product may irritate eyes upon contact.						
Inhalation	No known significant effects or critical hazards.						
Skin contact	No known significant effects or critical hazards.						
Ingestion	No known significant effects or critical hazards.	No known significant effects or critical hazards.					
Over-exposure signs/sym	<u>ns</u>						
Eye contact	No specific data.						
Inhalation	No specific data.						
Skin contact	No specific data.						
Ingestion	No specific data.						
Indication of immediate me	al attention and special treatment needed, if necessary						
Notes to physician	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.						
Specific treatments	No specific treatment.						
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.	No action shall be taken involving any personal risk or without suitable training.					
See toxicological informati	Section 11)						

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures				
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.				
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".				
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).				
Methods and materials for containment and cleaning up					
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.				
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.				

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage,	1	Store between the following temperatures: 10 to 32°C (50 to 89.6°F). Store in
including any		accordance with local regulations. Store in original container protected from direct
incompatibilities		sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see
		Section 10) and food and drink. Keep container tightly closed and sealed until ready for
		use. Containers that have been opened must be carefully resealed and kept upright to
		prevent leakage. Do not store in unlabeled containers. Use appropriate containment to
		avoid environmental contamination. See Section 10 for incompatible materials before
		handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name		Exposure limits			
urea		AIHA WEEL (United States, 10/2011). TWA: 10 mg/m ³ 8 hours.			
Appropriate engineering controls	: Good general v contaminants.	ventilation should be sufficient to control worker exposure to airborne			
Environmental exposure controls	they comply wit cases, fume sc	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			
Individual protection meas	ures				
Hygiene measures	eating, smoking Appropriate teo Wash contamir	orearms and face thoroughly after handling chemical products, before g and using the lavatory and at the end of the working period. chniques should be used to remove potentially contaminated clothing. nated clothing before reusing. Ensure that eyewash stations and safety ose to the workstation location.			
Eye/face protection	assessment inc gases or dusts.	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.			
Skin protection					
Hand protection		tant, impervious gloves complying with an approved standard should be s when handling chemical products if a risk assessment indicates this is			
Body protection		ctive equipment for the body should be selected based on the task being the risks involved and should be approved by a specialist before roduct.			
Other skin protection	based on the ta	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Respiratory protection	appropriate sta	nazard and potential for exposure, select a respirator that meets the indard or certification. Respirators must be used according to a section program to ensure proper fitting, training, and other important			

Section 9. Physical and chemical properties

Appearance	
Physical state	: Liquid.
Color	: White to yellowish. [Light]
Odor	: Characteristic. [Slight]
Odor threshold	: Not available.
рН	: 3
Melting point	: Not available.
Boiling point	: 98.889°C (210°F)
Flash point	: Closed cup: Not applicable.
VOC (less water, less exempt solvents)	: 3.75 g/l
Volatility	: 51% (w/w)
Relative density	: 1.11
Solubility	: Partially soluble in the following materials: cold water and hot water.

Section 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients.
: The product is stable.
: Under normal conditions of storage and use, hazardous reactions will not occur.
: No specific data.
: No specific data.
: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
urea	LD50 Dermal LD50 Oral		>21000 mg/kg 8471 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
urea	Skin - Mild irritant	Human	-	72 hours 22 milligrams Intermittent	-
	Skin - Moderate irritant	Human	-	24 hours 20 Percent	-

Conclusion/Summary	
Skin	 Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
Eyes	: Moderately irritating to eyes.
Respiratory	: Inhalation of oil mist or vapors at elevated temperatures may cause respiratory irritation.
Sensitization	
Not available.	

Mutagenicity

Section 11. Toxicological information

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Name		Category	Route of exposure	Target organs	S
urea		Category 3	Not applicable.	Narcotic effect	s
Specific target organ toxicit	t <u>y (repeated exposure)</u>				
Not available.					
Aspiration hazard Not available.					
			h a la Cau		
Information on the likely routes of exposure	: Routes of entry anticipated	d: Oral, Dermal, In	nalation.		
Potential acute health effects	<u>6</u>				
Eye contact	This product may irritate e	yes upon contact.			
Inhalation	: No known significant effect	ts or critical hazar	ds.		
Skin contact	: No known significant effect	ts or critical hazar	ds.		
Ingestion	: No known significant effect	ts or critical hazar	ds.		
Symptoms related to the phy	vsical, chemical and toxicolo	gical characteris	tics		
Eye contact	: No specific data.	-			
Inhalation	: No specific data.				
Skin contact	: No specific data.				
Ingestion	: No specific data.				
Delayed and immediate effect	cts and also chronic effects f	rom short and lo	<u>ng term exposure</u>		
<u>Short term exposure</u>					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Long term exposure					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Potential chronic health eff	<u>ects</u>				
Not available.					
General	: No known significant effect	ts or critical hazar	ds.		
Carcinogenicity	: No known significant effect	ts or critical hazar	ds.		
Mutagenicity	: No known significant effect	ts or critical hazar	ds.		
Teratogenicity	: No known significant effect	ts or critical hazar	ds.		
Developmental effects	: No known significant effect	ts or critical hazar	ds.		
	8				

Section 11. Toxicological information

Fertility effects

: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
urea	Acute EC50 6573.1 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 3910000 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 22.5 ppt Fresh water	Fish - Oreochromis mossambicus - Young	96 hours
	Chronic NOEC 2 g/L Fresh water	Fish - Heteropneustes fossilis	30 days

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
urea	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
urea	<-1.73	>10	low

Mobility in soil

Soil/water partition coefficient (K _{oc})	: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and
	sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Date of issue/Date of revision: 8/6/2018Version : 1.017.01				1 :1.01 7/10		

Titebond II Extend	Fitebond II Extend					
Section 14. Transport information						
Transport hazard class(es)	-	-	-	_	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

U.S. Federal regulations

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ

: Not applicable.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	%	Classification
urea		EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3

State regulations

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: None of the components are listed.
Pennsylvania	: None of the components are listed.
California Prop. 65	

None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

8/10

Section 15. Regulatory information

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

<u>Inventory list</u>

China


: All components are listed or exempted.

United States TSCA 8(b) inventory

: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

	Classification	Justification
Not classified.		
<u>History</u>		
Date of printing	: 8/6/2018	
Date of issue/Date of revision	: 8/6/2018	
Date of previous issue	: 4/24/2018	
Version	: 1.01	

9/10

Section 16. Other information

Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	: Not available.

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.